

INDOTARA®
PT. INDOTARA PERSADA

Jakarta Head Office :
Graha Kencana Building Lt. 10 Suite 10F
Jl. Raya Perjuangan 88
Kebon Jeruk Jakarta Barat 11530
Phone : 021 - 583 55 398
Fax : 021 - 583 55 400
email : sales@indotara.co.id

Surabaya Branch Office :
Bumi Mandiri Tower I Lt. 10 Suite 1008
Jl. Jend. Basuki Rachmat 129-137
Surabaya 60271
Phone : 031 - 535 3001
Fax : 031 - 535 3002
email : sales-sby@indotara.co.id

Medan Branch Office :
Kompleks MMTC Warehouse Blok C-7
Jl. Pasar V, Pancing
Medan 20371
Phone : 061 - 800 323 24
Fax : 061 - 800 322 25
email : sales-mdn@indotara.co.id

Bandung Branch Office :
Wisma HSBC Lt. 6 Suite B
Jl. Asia Afrika No. 116
Bandung, Jawa Barat 40112
Phone : 022 - 426 7333
Fax : 022 - 426 7330
email : sales-bdg@indotara.co.id

TOMORI
TOTAL CATERING EQUIPMENTS



www.indotara.co.id

PRODUCT

Tomori Catering Equipment

TOMORI
TOMORI CATERING EQUIPMENT



CONTENT PRODUCTS



001-008 900/700 Series Combination Oven

009-012 Counter Top Combination Oven

013-028 Fryer/Griddle

029-036 Pasta Cooker/Food Warmer/Infrared Lamps

037-041 Popcorn Machine/Candy Floss Machine

042-045 Bain Marie

046-049 Barbecue Oven/Rotisserie

050-057 Pizza Oven/Backing/Convection Oven

058-061 Salamander/Char Grill/Gas Stove/Hot-dog Grill

062-063 Toaster/Crepe Maker

064-067 Waffle Baker/Snack Food Equipment/Donut Machine

068-072 Contact Grill/Fast Food Equipment/Fish Ball Grill

073-076 Induction Cooker/Rice Cooker/Dish Washer

077-082 Food Mixer/Spiral Mixer/Meat Mincer

083-084 Meat Slicer & Vegetable Cutter/Sausage Filter

085-088 Dough Series/Food Cut Up Machine/Potato Peeler

089-093 Ice Cream & Cake Showcases/Ice Cream Machine

094-097 Maker/Juice Dispenser/Slush Machine

098-099 Rusher & Milk Shaker/Coffee Machine

100-102 Commercial Blender/Juicer/Water Boiler

103-105 Chafing Dish/Packing Machine

106-108 Sink Table/Racks/GN Pans

**Provides the perfect solution
for your kitchen and business needs**

INDOTARA®



www.indotara.co.id



COOKING RANGE

- All Stainless Steel Body, Strong And Durable
- Electronic Direct Spark Ignition, Flame Failure Safety Device For Each Control
- Heavy Duty Gas Burner With Individual Switch And Thermostat
- Adjustable Legs
- Devices Are Preset To City Gas, Natural Gas Or Lpg
- Key-component From Famous International Suppliers



900/700 Series Gas Combination Oven



Gas Griddle (2/3 Flat & 1/3 Grooved) with Cabinet

Model: TGR-906
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Power: 40389BTU/Hour
N/W: 125Kg



Model: TGR-706
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Power: 40389BTU/Hour
N/W: 95Kg



4-Burner Gas Range with Oven

Model: TGR-905
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Inner Oven Size: 560x700x270mm
Power: 64348BTU/Hour
N/W: 156Kg



Model: TGR-705
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Inner Oven Size: 560x700x270mm
Power: 64348BTU/Hour
N/W: 117Kg



Gas Bain Marie with Cabinet

Model: TGR-909
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Power: 54765BTU/Hour
N/W: 90Kg



Model: TGR-709
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Power: 54650BTU/Hour
N/W: 78Kg



Gas Lava Rock Grill with Cabinet

Model: TGL-907
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Power: 58188BTU/Hour
N/W: 137Kg



Model: TGL-707
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Power: 49288BTU/Hour
N/W: 113Kg





2-Tank 2-Basket Gas Fryer with Cabinet

Model: **TGF-908**
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Power: 106106BTU/Hour
N/W: 120Kg



Model: **TGF-708**
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Power: 106106BTU/Hour
N/W: 102Kg



Electric Fryer with Cabinet

Model: **TEF-908 (2-Tank 2-Basket)**
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volts: 380V
Power: 24KW
N/W: 94Kg



Model: **TEF-708 (2-Tank 2-Basket)**
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Volts: 380V
Power: 24KW
N/W: 78Kg



Gas French Hot Plate Cooker with Oven

Model: **TGZ-911**
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Inner Oven Size: 560x700x270mm
Power: 49815BTU/Hour
N/W: 165Kg



Model: **TGZ-711**
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Inner Oven Size: 560x700x270mm
Power: 49815BTU/Hour
N/W: 122Kg



Electric Pasta Cooker with Cabinet

Model: **TEN-910**
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volts: 380V
Power: 18KW
N/W: 88Kg



Model: **TEN-710**
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Volts: 380V
Power: 18KW
N/W: 78Kg



Gas Pasta Cooker with Cabinet

Model: **TGN-910**
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Power: 80778BTU/Hour
N/W: 100Kg



Model: **TGN-710**
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Power: 80778BTU/Hour
N/W: 82Kg



Electric Griddle with Cabinet

Model: **TER-906 (2/3 Flat & 1/3 Grooved)**
Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volts: 380V
Power: 15KW
N/W: 125Kg



Model: **TER-706 (2/3 Flat & 1/3 Grooved)**
Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Volts: 380V
Power: 9KW
N/W: 118Kg





4-Plate Electric Cooker with Oven

Model: **TSQ-905A**
 Dimension: 800x900x920mm
 Packing Size: 880x980x1040mm
 Volts: 380V
 Power: 20.8KW
 N/W: 128Kg



Electric Bain Marie with Cabinet

Model: **TEB-909**
 Dimension: 800x900x920mm
 Packing Size: 880x980x1040mm
 Volts: 380V
 Power: 6KW
 N/W: 88Kg



Model: **TEB-709**
 Dimension: 700x750x920mm
 Packing Size: 780x830x1040mm
 Volts: 380V
 Power: 5KW
 N/W: 72Kg



Electric Lava Rock Grill

Model: **TEL-907**
 Dimension: 800x900x920mm
 Packing Size: 880x980x1040mm
 Volts: 380V
 Power: 12KW
 N/W: 128Kg



Model: **TEL-707**
 Dimension: 700x750x920mm
 Packing Size: 780x830x1040mm
 Volts: 380V
 Power: 9KW
 N/W: 96Kg



4-Plate Electric Cooker With Cabinet

Model: **TRQ-912**
 Dimension: 800x900x920mm
 Packing Size: 880x980x1040mm
 Volts: 380V
 Power: 9.2KW
 N/W: 64Kg



Model: **TRQ-712**
 Dimension: 700x750x920mm
 Packing Size: 780x830x1040mm
 Volts: 380V
 Power: 9.2KW
 N/W: 56Kg



Model: **TRQ-912E**
 Dimension: 800x900x920mm
 Packing Size: 880x980x1040mm
 Volts: 380V
 Power: 14KW
 N/W: 104Kg



Model: **TRQ-712E**
 Dimension: 700x750x920mm
 Packing Size: 780x830x1040mm
 Volts: 380V
 Power: 13.6KW
 N/W: 94Kg



6-Plate Electric Cooker with Oven

Model: **TSQ-998**
 Dimension: 1200x900x920mm
 Packing Size: 1280x980x1040mm
 Volts: 380V
 Power: 28.8KW
 N/W: 179Kg



Cooking Range



6-Burner Gas Range with Gas Oven

Model: TGR-996

Dimension: 1200x900x920mm
Packing Size: 1280x980x1040mm
Inner Oven Size: 560x700x270mm
Power: 88992.8 BTU/Hour
N/W: 208Kg



Model: TGR-776

Dimension: 1050x750x920mm
Packing Size: 1130x980x1040mm
Inner Oven Size: 560x700x270mm
Power: 88992.8 BTU/Hour
N/W: 155Kg



Model: TGR-996E

Dimension: 1200x900x970mm
Packing Size: 1200x980x1040mm
Inner Oven Size: 560x700x270mm
Volts: 380V
Power: 72906 BTU/Hour (Gas), 4.8KW - Electric Oven
N/W: 179Kg



Model: TGR-776E

Dimension: 1050x750x920mm
Packing Size: 1130x980x1040mm
Inner Oven Size: 560x700x270mm
Volts: 380V
Power: 72906 BTU/Hour (Gas), 4.8KW - Electric Oven
N/W: 144Kg



4-Burner Gas Range&Griddle with Gas Oven

Model: TGR-992

Dimension: 1200x900x920mm
Packing Size: 1280x980x1040mm
Inner Oven Size: 560x700x270mm
Power: 79500BTU/Hour
N/W: 212Kg



Model: TGR-772

Dimension: 1050x750x920mm
Packing Size: 1130x980x1040mm
Inner Oven Size: 560x700x270mm
Power: 79500BTU/Hour
N/W: 171Kg



Model: TGR-992E

Dimension: 1200x900x920mm
Packing Size: 1200x980x1040mm
Inner Oven Size: 560x700x270mm
Volts: 380V
Power: 63800BTU/Hour (Gas), 4.8KW - Electric Oven
N/W: 171Kg



Model: TGR-772E

Dimension: 1050x750x920mm
Packing Size: 1130x980x1040mm
Inner Oven Size: 560x700x270mm
Volts: 380V
Power: 63800BTU/Hour (Gas), 4.8KW - Electric Oven
N/W: 154Kg



Gas Soup Kettle

Model: TH-RO100

Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volume: 100L
Sandwich Pressure: < 50kpa
Power: 25KW / 85300BTU
N/W: 137Kg



Model: TZH-RO60

Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Volume: 60L
Sandwich Pressure: < 50kpa
Power: 23KW / 78476BTU
N/W: 112Kg



Electric Soup Kettle

Model: TH-TO100

Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volume: 100L
Sandwich Pressure: < 50kpa
Volts: 380V Power: 18KW
N/W: 122Kg



Model: TZH-TO60

Dimension: 700x750x920mm
Packing Size: 780x830x1040mm
Volume: 60L
Sandwich Pressure: < 50kpa
Volts: 380V Power: 12KW
N/W: 88Kg



Gas Tilting Braising Pan

Model: TH-RS

Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volume: 80L
Power: 24KW / 81888BTU
N/W: 140Kg



Model: TZH-RS

Dimension: 800x750x920mm
Packing Size: 880x980x1040mm
Volume: 60L
Power: 18KW / 61416BTU
N/W: 122Kg



Electric Tilting Braising Pan

Model: TH-TS

Dimension: 800x900x920mm
Packing Size: 880x980x1040mm
Volume: 80L
Volts: 380V Power: 12KW
N/W: 135Kg



Model: TZH-TS

Dimension: 800x750x920mm
Packing Size: 880x980x1040mm
Volume: 60L
Volts: 380V Power: 10.5KW
N/W: 122Kg



Counter Top Gas Combination Oven



Counter Top 4-Burner Gas Range

Model: **TGR-605**
Dimension: 570x680x480mm
Hp: 92MJ
Valve Type: Low-pressure Valve
Butners: 4
N/W: 44Kg



Counter Top Gas Pasta Cooker

Model: **TGL-610**
Dimension: 600x600x480mm
Hp: 26MJ
Valve Type: Low-pressure Valve
Butners: 1
N/W: 25Kg



Counter Top 2-Tank 2-Basket Gas Fryer

Model: **TGF-608**
Dimension: 600x612x470mm
Capacity: 8L+8L
Hp: 40.4MJ
Valve Type: Low-pressure Valve
Butners: 2
N/W: 29Kg



Counter Top Gas Griddle

Model: **TGR-606**
Dimension: 600x612x530mm
Hp: 28.8MJ
Valve Type: Low-pressure Valve
Butners: 2
N/W: 46Kg



Counter Top Gas Bain Marie

Model: **TGL-609**
Dimension: 700x680x480mm
Hp: 27.7MJ
Valve Type: Low-pressure Valve
Butners: 1
N/W: 29Kg



Counter Top Gas Lava Rock Grill

Model: **TGL-607**
Dimension: 650x612x530mm
Hp: 57.6MJ
Valve Type: Low-pressure Valve
Butners: 2
N/W: 49Kg

Counter Top Electric Combination Oven



Counter Top 4-Burner Electric Cooker

Model: **TRQ-605E**
 Dimension: 600x600x350mm
 Volts: 220-240V/50-60Hz
 Hp: 8.2KW
 N/W: 20Kg



Counter Top Electric Lava Rock Grill

Model: **TEL-607**
 Dimension: 650x600x350mm
 Volts: 220-240V/50-60Hz
 Hp: 7.2KW
 N/W: 43Kg



Counter Top Electric Griddle (All Flat)

Model: **TEG-606**
 Dimension: 600x600x350mm
 Volts: 220-240V/50-60Hz
 Hp: 5KW
 N/W: 43Kg



Counter Top Electric Bain Marie

Model: **TEB-609**
 Dimension: 700x600x350mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Weight: 24Kg



Counter Top 2-Tank 2-Basket Electric Fryer

Model: **TEF-608**
 Dimension: 600x600x430mm
 Capacity: 8L+8L
 Volts: 220-240V/50-60Hz
 Hp: 3.25+3.25KW
 N/W: 25Kg



Counter Top Electric Pasta Cooker

Model: **TEN-610**
 Dimension: 600x600x350mm
 Volts: 220-240V
 Power: 6KW
 Weight: 22.6Kg





Fryer

- High efficiency stainless steel heating element, automatic control temperature, timer installation.
- Anti-high temperature oil valve.
- Folded and dismantle basket handle.
- Used gas: liquefied petroleum gas (LPG), customized to natural gas (1800-2500pa).
- Over temperature protection.
- Movable heating element to make cleaning easier.



Fryer



1-Tank 1-Basket Electric Fryer

Model: **TEF-81**
Dimension: 285x450x310mm
Packing Size: 480x315x325mm
Capacity: 6L
Volts: 220-240V/50-60Hz
Power: 2.5KW
N/W: 4.6Kg



Model: **TEF-88**
Dimension: 280x440x360mm
Packing Size: 480x315x325mm
Capacity: 8L
Volts: 220-240V/50-60Hz
Power: 2.8KW
N/W: 5.6Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-81A**
Dimension: 275x430x290mm
Packing Size: 460x295x305mm
Capacity: 6L
Volts: 220V-240V/50-60Hz
Power: 2.5KW
N/W: 4.5Kg



Model: **TEF-83A** (1-Tank 2-Basket)
Packing Size: 570x455x315mm
Dimension: 550x430x290mm
Capacity: 12L
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-82** (2-Tank 2-Basket)
Dimension: 570x450x310mm
Packing Size: 620x470x325mm
Capacity: 6L+6L
Volts: 220-240V/50-60Hz
Power: 2.5+2.5KW N/W: 8.6Kg



Model: **TEF-83** (1-Tank 2-Basket)
Dimension: 540x450x310mm
Packing Size: 620x470x325mm
Capacity: 12L
Volts: 220-240V/50-60Hz
Power: 2.5+2.5KW N/W: 8.4Kg



Model: **TEF-89** (2-Tank 2-Basket)
Dimension: 560x440x360mm
Capacity: 8L+8L
Volts: 220-240V/50-60Hz
Power: 2.8+2.8KW N/W: 10Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-82A** (2-Tank 2-Basket)
Dimension: 550x430x290mm
Packing Size: 570x455x315mm
Capacity: 6L+6L
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg



Model: **TEF-83A** (1-Tank 2-Basket)
Packing Size: 570x455x315mm
Dimension: 550x430x290mm
Capacity: 12L
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-81B**
Size: 270x425x285mm
Volts: 220V/50Hz
Power: 2.5KW
Capacity: 6L
N/W: 4Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-4L**
Dimension: 265x385x320mm
Packing Size: 415x285x320mm
Volts: 220V-240V/50-60Hz
Power: 2KW
N/W: 5Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-6L**
Dimension: 310x410x290mm
Packing Size: 450x290x310mm
Volts: 220V-240V/50-60Hz
Power: 2.5KW
N/W: 5.6Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-82B**
Size: 550x425x285mm
Volts: 220V/50Hz
Power: 2.5+2.5KW
Capacity: 6+6L
N/W: 8Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-4L-2**
Dimension: 490x385x320mm
Packing Size: 470x425x335mm
Volts: 220V-240V/50-60Hz
Power: 2x2KW
N/W: 9.2Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-6L-2**
Dimension: 590x385x320mm
Packing Size: 570x430x310mm
Volts: 220V-240V/50-60Hz
Power: 2x2.5KW
N/W: 10.2Kg





Fryer



1-Tank 1-Basket Electric Fryer

Model: **TEF-8L**
 Dimension: 310x410x340mm
 Packing Size: 450x390x380mm
 Volts: 220V-240V/50-60Hz
 Power: 2.8KW
 N/W: 6.2Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-8L-2**
 Dimension: 592x410x340mm
 Packing Size: 590x450x380mm
 Volts: 220V-240V/50-60Hz
 Power: 2x2.8KW
 N/W: 11Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-12L**
 Dimension: 290x240x410mm
 Packing Size: 320x500x420mm
 Volts: 220V-240V/50-60Hz
 Power: 3.25KW
 N/W: 9.8Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-12L-2**
 Dimension: 580x550x410mm
 Packing Size: 610x500x420mm
 Volts: 220V-240V/50-60Hz
 Power: 2x3.25KW
 N/W: 17.6Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-11L**
 Dimension: 370x440x340mm
 Packing Size: 470x350x360mm
 Volts: 220V-240V/50-60Hz
 Power: 3.2KW
 N/W: 11.4Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-11L-2**
 Dimension: 725x440x345mm
 Packing Size: 700x470x360mm
 Volts: 220V-240V/50-60Hz
 Power: 2x3.2KW
 N/W: 15Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-131V**
 Dimension: 310x480x360mm
 Packing Size: 360x545x385mm
 Capacity: 13L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW N/W: 8Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-132V**
 Dimension: 630x480x360mm
 Packing Size: 680x545x385mm
 Capacity: 13L+13L
 Volts: 220V-240V/50-60Hz
 Power: 4.5+4.5KW N/W: 18Kg



Model: **TEF-161V**
 Dimension: 340x540x410mm
 Packing Size: 340x520x365mm
 Capacity: 16L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW N/W: 10Kg

Model: **TEF-162V**
 Dimension: 690x540x410mm
 Packing Size: 740x585x405mm
 Capacity: 16L+16L
 Volts: 220V-240V/50-60Hz
 Power: 6+6KW N/W: 20Kg

Fryer



1-Tank 1-Basket Electric Fryer

Model: **TEF-901**
 Dimension: 300x600x450mm
 Packing Size: 520x500x420mm
 Capacity: 8L
 Volts: 220V-240V/50-60Hz
 Power: 2.8KW
 N/W: 10Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-902**
 Dimension: 600x600x450mm
 Packing Size: 660x600x545mm
 Capacity: 16L
 Volts: 220V-240V/50-60Hz
 Power: 2.8+2.8KW
 N/W: 18Kg



1-Tank 1-Basket Electric Fryer

Model: **TEF-903**
 Dimension: 330x600x440mm
 Packing Size: 670x410x545mm
 Capacity: 12.5L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW
 N/W: 13Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-904**
 Dimension: 660x600x440mm
 Packing Size: 720x670x545mm
 Capacity: 25L
 Volts: 220V-240V/50-60Hz
 Power: 4.5+4.5KW
 N/W: 23.2Kg



1-Tank 1-Basket Gas/Electric Fryer

Model: **TGF-779**
 Dimension: 340x615x630mm
 Capacity: 18L
 Gas: LPG
 Power: 5KW/Hr
 N/W: 22Kg



Model: **TEF-779**
 Dimension: 340x615x630mm
 Capacity: 18L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW
 N/W: 22Kg



2-Tank 2-Basket Electric Fryer

Model: **TEF-912**
 Dimension: 840x510x810mm
 Capacity: 21+21L
 Volts: 220V-240V
 Power: 4.5+4.5KW
 N/W: 34Kg



2-Tank 2-Basket Gas/Electric Fryer

Model: **TGF-780**
 Dimension: 680x615x630mm
 Capacity: 18L+18L
 Gas: LPG
 Power: 10KW/Hr
 N/W: 38Kg



Model: **TEF-780**
 Dimension: 680x615x630mm
 Capacity: 18L+18L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW+4.5KW
 N/W: 38Kg



2-Tank 2-Basket Gas/Electric Fryer

Model: **TGF-907C**
 Dimension: 850x515x620mm
 Capacity: 21L+21L
 Gas: LPG
 N/W: 32Kg



Model: **TEF-906C**
 Dimension: 850x515x620mm
 Capacity: 21L+21L
 Volts: 220V-240V/50-60Hz
 Power: 3.5+3.5KW
 N/W: 32Kg

Fryer



1-Tank 1-Basket Gas Fryer

Model: **TGF-71A**
 Dimension: 330x650x480mm
 Capacity: 15L
 Gas: LPG or LNG
 Power: 4.5KW
 Pressure: 2800-3200Pa
 Temperature: 160-220°C
 Basket Size: 300x210x135mm



2-Tank 2-Basket Gas Fryer

Model: **TGF-72A**
 Dimension: 660x650x480mm
 Capacity: 2x15L
 Gas: LP or LNG
 Power: 4.5KW+4.5KW
 Pressure: 2800-3200Pa
 Temperature: 160-220°C
 Basket Size: 300x210x135mm



1-Tank 1-Basket Gas Fryer

Model: **TGF-971**
 Dimension: 300x600x550mm
 Capacity: 8L
 Power: 4KW/Hour
 N/W: 22Kg



1-Tank 1-Basket Gas Fryer

Model: **TGF-71**
 Dimension: 290x520x480mm
 Capacity: 6L
 Power: 18.9TU/hr
 N/W: 10.8Kg



Electric Fryer

Model: **TEF-84** (1-Tank 2-Basket)
 Dimension: 590x500x960mm
 Capacity: 28L
 Volts: 220V-240V/50-60Hz
 Power: 8KW
 N/W: 24Kg



Model: **TEF-85** (2-Tank 2-Basket)
 Dimension: 590x500x960mm
 Capacity: 14L+14L
 Volts: 220V-240V/50-60Hz
 Power: 8KW
 N/W: 24Kg



2-Tank 2-Basket Gas Fryer

Model: **TGF-972**
 Dimension: 600x600x550mm
 Capacity: 8L+8L
 Power: 8KW/Hour
 N/W: 35Kg



2-Tank 2-Basket Gas Fryer

Model: **TGF-772**
 Dimension: 600x650x550mm
 Capacity: 12.5L+12.5L
 Power: 9KW/Hour
 N/W: 40Kg



2-Tank 2-Basket Gas Fryer

Model: **TGF-72** (2-Tank 2-Basket)
 Dimension: 570x520x480mm
 Capacity: 6L+6L
 Power: 37.8TU/hr
 N/W: 18.4Kg



Model: **TGF-73** (1-Tank 2-Basket)
 Dimension: 550x520x480mm
 Capacity: 12L
 Power: 37.8TU/hr
 N/W: 14.8Kg





1-Tank 2-Basket Electric Fryer

Model: TEF-26
Dimension: 420x830x1080mm
Capacity: 30L
Volts: 380V
Power: 10KW
N/W: 38Kg



2-Tank 4-Basket Electric Fryer

Model: TEF-26-2
Dimension: 800x830x1080mm
Capacity: 30L+30L
Volts: 380V
Power: 20KW
N/W: 58Kg



1-Tank 1-Basket Electric Fryer

Model: TEF-161C
Dimension: 340x530x940mm
Capacity: 16L
Volts: 220-240V
Power: 5KW
N/W: 20.6Kg



2-Tank 2-Basket Electric Fryer

Model: TEF-162C
Dimension: 690x530x940mm
Capacity: 16Lx2
Volts: 220-240V
Power: 5KWx2
N/W: 33.5Kg



1-Tank 2-Basket Computer Fryer

Model: TEF-871
Dimension: 400x800x1125mm
Capacity: 28L
Volts: 3N-380V
Hp: 18KW
N/W: 40Kg



2-Tank 4-Basket Computer Fryer

Model: TEF-872
Dimension: 800x800x1125mm
Capacity: 28L+28L
Volts: 3N-380V
Hp: 18+18KW
N/W: 80Kg



1-Tank 1-Basket Gas Fryer

Model: TGF-181C
Dimension: 345x585x1025mm
Capacity: 18L
Gas: LPG or Natural Gas
N/W: 25Kg



2-Tank 2-Basket Gas Fryer

Model: TGF-182C
Dimension: 690x585x1025mm
Capacity: 18x2L
Gas: LPG or Natural Gas
N/W: 50Kg



Fryer

- Strong stainless steel body with splash guard.
- Large output capacity.
- Thick steel plate for heat retention, heat uniform.
- Fat drainage drawer for convenience.
- Thermostat controller.
- Energy saving and safety.
- Easy to use and clean-up.

Griddle



1-Tank 2-Basket Gas Fryer

Model: TGF-778
Dimension: 400x700x1100mm
Capacity: 25L
Gas: LPG or Natural Gas
Power: 12KW/Hr
N/W: 41Kg



Gas Pressure Fryer

Model: TDXZ-25
Dimension: 460x960x1230mm
Packing Size: 1030x510x1300mm
Capacity: 25L
Volts: 220V/50Hz
Gas: LPG or Natural Gas
Working Pressure: 0.085Mpa
N/W: 110Kg



Electric Pressure Fryer

Model: TDXZ-24
Dimensions: 460x960x1230mm
Packing Size: 1030x510x1300mm
Capacity: 24L
Volts: 3N-380V/50Hz
Power: 14.2KW N/W: 110Kg
For 4-6 Chickens



Electric Pressure Fryer

Model: TDXZ-16
Dimensions: 350x400x500mm
Packing Size: 430x500x540mm
Capacity: 16L
Volts: 220V/50Hz
Power: 3KW N/W: 18Kg
For 2-3 Chickens



Electric Griddle

Model: TEG-818
Dimension: 550x430x240mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 25Kg



Electric Griddle

Model: TEG-818A
Dimension: 540x400x220mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 23Kg



Electric Griddle

Model: TEG-821
Dimension: 550x450x230mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 23Kg



Electric Griddle

Model: TEG-820
Dimension: 730x470x240mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 34Kg



Electric Griddle

Model: TEG-822
Dimension: 730x470x240mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 32Kg





Electric Griddle

Model: **TEG-920**
Dimension: 760x600x350mm
Volts: 220V-240V/50-60Hz
Power: 3+3KW
N/W: 65Kg



Electric Griddle

Model: **TEG-922**
Dimension: 760x600x350mm
Volts: 220V-240V/50-60Hz
Power: 3+3KW
N/W: 65Kg



Electric Griddle

Model: **TEG-350**
Dimension: 350x520x320mm
Volts: 220V-240V/50-60Hz
Power: 2.2KW
N/W: 40Kg



Model: **TEG-500**
Dimension: 500x520x320mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 50Kg

Model: **TEG-700**
Dimension: 700x520x320mm
Volts: 220V-240V/50-60Hz
Power: 4.5KW
N/W: 65Kg



Gas Griddle

Model: **TGG-350**
Dimension: 350x520x320mm
Power: 4KW/Hour
N/W: 40Kg



Model: **TGG-500**
Dimension: 500x520x320mm
Power: 8KW/Hour
N/W: 50Kg

Model: **TGG-700**
Dimension: 700x520x320mm
Power: 12KW/Hour
N/W: 65Kg



Electric Griddle

Model: **TEG-824**
Dimension: 610x620x360mm
Volts: 220-240V/50Hz~60Hz
Power: 8KW
N/W: 70Kg



Model: **TEG-836**
Dimension: 915x620x360mm
Volts: 220-240V/50Hz~60Hz
Power: 12KW
N/W: 100Kg

Model: **TEG-848**
Dimension: 1215x620x360mm
Volts: 220-240V/50Hz~60Hz
Power: 16KW
N/W: 130Kg



Electric Griddle With Gas/Electric Fryer

Model: **TGG-751**
Dimension: 760x650x550mm
Gas: LPG
Power: 12KW/Hour
N/W: 48Kg



Model: **TEG-908**
Dimension: 760x630x460mm
Volts: 220-240V/50Hz~60Hz
Power: 3+2.8KW
N/W: 48Kg



Electric Griddle & Salamander

Model: **TEG-580**
Dimensions: 580x455x332mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 34Kg



Gas Griddle (1/3 Grooved)

Model: **TGG-530-2**
Dimension: 530x600x475mm
Gas: LPG or Natural Gas
Power: 10.7KW



Model: **TGG-600-2**
Dimension: 600x600x475mm
Gas: LPG or Natural Gas
Power: 11.7KW

Model: **TGG-750-2**
Dimension: 750x600x475mm
Gas: LPG or Natural Gas
Power: 11.7KW

Griddle

Griddle



Gas Griddle

Model: **TGG-718**
 Dimension: 550x480x420mm
 Packing Size: 615x555x445mm
 Power: 36.7Tu/hr
 N/W: 30Kg



Gas Griddle

Model: **TGG-720**
 Dimension: 730x520x420mm
 Packing Size: 790x615x500mm
 Power: 37.8Tu/hr
 N/W: 43Kg



Gas Griddle (1/3 Grooved)

Model: **TGG-752**
 Dimension: 760x650x550mm
 Gas: LPG or Natural Gas
 Power: 16KW/Hour
 N/W: 70Kg



Gas Griddle (All Flat)

Model: **TGG-753**
 Dimension: 760x650x550mm
 Gas: LPG or Natural Gas
 Power: 16KW/Hour
 N/W: 70Kg



Gas Griddle

Model: **TGG-721**
 Dimension: 550x480x420mm
 Packing Size: 615x555x445mm
 Power: 36.7Tu/hr
 N/W: 30Kg



Gas Griddle

Model: **TGG-722**
 Dimension: 730x520x420mm
 Packing Size: 790x615x500mm
 Power: 37.8Tu/hr
 N/W: 43Kg



Gas Griddle

Model: **TGG-24**
 Dimension: 610x620x440mm
 Gas: LPG or Natural Gas
 Power: 9KW
 N/W: 51Kg



Gas Griddle

Model: **TGG-48**
 Dimension: 1215x620x440mm
 Gas: LPG or Natural Gas
 Power: 18KW
 N/W: 105Kg



Model: **TGG-36**
 Dimension: 915x620x440mm
 Gas: LPG or Natural Gas
 Power: 13.5KW
 N/W: 76Kg

Pasta Cooker

Food Warmer

- The designs with different shapes and colors.
- Different models with different functions, like to keep dry,
- Keep wet, keep warm or keep cold.
- Removable crumb tray.
- Humidity pan prevents dryness.
- Thermostatically controlled temperature.
- Temperature indicating gauge for monitoring internal temperature.
- Convenient sliding doors provide quick, easy access.
- Interior light.



Counter Top Electric Pasta Cooker

Model: **TEN-4A**
Dimension: 410x570x280mm
Volts: 220~240V/50~60Hz
Power: 4KW
N/W: 13Kg



Counter Top Electric Pasta Cooker

Model: **TEN-6A**
Dimension: 590x550x280mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 13Kg



Electric Pasta Cooker

Model: **TEN-4HX**
Dimension: 430x690x950mm
Volts: 220~240V/50~60Hz
Power: 4KW
N/W: 17Kg



Food Display Warmer

Model: **TW-2x2**
Dimension: 700x655x730mm
Volts: 220~240V/50~60Hz
Power: 0.7KW
N/W: 27Kg



Food Display Warmer

Model: **TW-2x3**
Dimension: 1100x655x730mm
Volts: 220~240V/50~60Hz
Power: 1KW
N/W: 35Kg



Model: **TW-2x4**
Dimension: 1200x655x730mm
Volts: 220~240V/50~60Hz
Power: 1KW
N/W: 43Kg



Gas Pasta Cooker

Model: **TEN-4HX**
Dimension: 430x690x950mm
Gas: LPG or Natural Gas
Power: 56500BTU/Hour
N/W: 20Kg



Gas Pasta Cooker

Model: **TGN-6HX**
Dimension: 600x690x950mm
Gas: LPG or Natural Gas
Power: 84750BTU/Hour
N/W: 20Kg



Electric Pasta Cooker

Model: **TEN-6HX**
Dimension: 600x690x950mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 22Kg



Food Display Warmer

Model: **TW-6P-B**
Dimension: 1200x760x860mm
Volts: 220~240V/50~60Hz
Power: 3KW
N/W: 94Kg



Model: **TW-6P**
Dimension: 1500x760x860mm
Volts: 220~240V/50~60Hz
Power: 3.8KW
N/W: 112Kg



Model: **TW-6P-A**
Dimension: 1800x760x860mm
Volts: 220~240V/50~60Hz
Power: 4.2KW
N/W: 152Kg



Model: **TW-6P-C**
Dimension: 2200x760x860mm
Volts: 220~240V/50~60Hz
Power: 5.2KW
N/W: 180Kg



Food Warmer



Food Display Warmer

Model: **TW-861**
Dimension: 350x455x580mm
Volts: 220~240V/50~60Hz
Power: 1.3KW
N/W: 21Kg



Food Display Warmer

Model: **TW-862**
Dimension: 650x455x580mm
Volts: 220~240V/50~60Hz
Power: 1.3KW
N/W: 33Kg



Food Display Warmer

Model: **TW-863**
Dimension: 900x455x580mm
Volts: 220~240V/50~60Hz
Power: 1.6KW
N/W: 41Kg



Pie Warmer

Model: **TW-1P**
Dimension: 350x430x500mm
Volts: 220~240V/50~60Hz
Power: 0.85KW
N/W: 18Kg



Food Display Warmer

Model: **TW-500H**
Dimension: 380x420x760mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 24Kg



Food Display Warmer

Model: **TW-2P**
Dimension: 660x480x630mm
Volts: 220~240V/50~60Hz
Power: 0.8KW
N/W: 21Kg



Food Display Warmer

Model: **TW-2PS**
Dimension: 660x480x630mm
Volts: 220~240V/50~60Hz
Power: 0.8KW
N/W: 21Kg



Food Display Warmer

Model: **TW-60-1**
Dimension: 660x480x610mm
Volts: 220~240V/50~60Hz
Power: 1.84KW
N/W: 33Kg

Model: **TW-3P**
Dimension: 950x480x630mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 30Kg

Model: **TW-3PS**
Dimension: 950x480x630mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 30Kg

Model: **TW-60-2**
Dimension: 900x480x610mm
Volts: 220~240V/50~60Hz
Power: 1.84KW
N/W: 50Kg

Model: **TW-60-3**
Dimension: 1200x480x610mm
Volts: 220~240V/50~60Hz
Power: 2.2KW
N/W: 72Kg



Food Display Warmer (Touch Screen)

Model: **TW-500HA**
Dimension: 380x420x760mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 24Kg



Food Display Warmer

Model: **TW-600H**
Dimension: 480x540x840mm
Volts: 220~240V/50~60Hz
Power: 1.6KW
N/W: 36Kg



Food Warmer



Pizza Warming Showcase

Model: **TW-13 T**
 Dimension: 500x450x770mm
 Volts: 220V-240V/50-60Hz
 Power: 0.85KW
 Weight: 26Kg



Food Display Warmer

Model: **TW-14**
 Dimension: 550x450x770mm
 Volts: 220V-240V/50-60Hz
 Power: 0.85KW
 Weight: 38Kg



Food Display Warmer

Model: **TW-580**
 Dimension: 640x360x530mm
 Volts: 220-240V/50-60Hz
 Power: 1.0KW
 Weight: 45Kg

Model: **TW-805**
 Dimension: 865x360x625mm
 Volts: 220V-240V/50-60Hz
 Power: 1.5KW
 Weight: 60Kg



Pizza Display Warmer

Model: **TW-815**
 Dimension: 490x490x810mm
 Volts: 220-240V/50-60Hz
 Power: 0.65KW
 Weight: 15Kg



Pizza Display Warmer

Model: **TW-816**
 Dimension: 490x490x810mm
 Volts: 220-240V/50-60Hz
 Power: 0.65KW
 Weight: 15Kg



Curved Warming Showcase

Model: **TW-838**
 Dimension: 730x770x730mm
 Volts: 220-240V/50-60Hz
 Power: 0.85KW



Curved Warming Showcase

Model: **TW-838-3**
 Dimension: 1140x690x710mm
 Volts: 220-240V/50-60Hz
 Power: 1.2KW



Curved Cooling Showcase

Model: **TW-848**
 Dimension: 900x520x700mm
 Volts: 220-240V/50-60Hz
 Power: 0.2KW



Electric Warming Tray

Model: **TTC-2F**
 Dimension: 730x580x550mm
 Volts: 220-240V/50-60Hz
 Power: 0.8KW
 Weight: 14Kg



Infared Warm lamp

Model: **TW-819A (1-Lamp)**
 Dimension: 580x430x330mm
 Volts: 220-240V/50-60Hz
 Power: 0.25KW



Model: **TW-819B (2-Lamp)**
 Dimension: 335x560x465mm
 Volts: 220-240V/50-60Hz
 Power: 0.05KW



Model: **TW-819C (3-Lamp)**
 Dimension: 810x350x440mm
 Volts: 220-240V/50-60Hz
 Power: 0.75KW





Infrared Lamps



Food Warmer Cart

Model: **TW-11-21**
 Dimension: 780x960x1790mm
 Volts: 220-240V/50-60Hz
 Power: 1.85KW
 N/W: 160Kg



Food Warmer Cart

Model: **TW-22-21**
 Dimension: 1540x930x1790mm
 Volts: 220-240V/50-60Hz
 Power: 2.2KW
 N/W: 280Kg



Bronze



Black



Silver

Infrared Lamps

Model: **T031**
 Power: 220V/250W
 Diameter: 175mm
 Adjustable Height: 0.6~1.8m



Bronze

Black

Silver

Infrared Lamps

Model: **T032**
 Power: 220V/250W
 Diameter: 175mm
 Adjustable Height: 0.6~1.8m



Bronze



Black



Silver

Infrared Lamps

Model: **T033**
 Power: 220V/250W
 Diameter: 270mm
 Adjustable height: 0.6~1.8m



Sushi Display Cooler

Model: **TSD-1200**
 Dimension: 1200x350x340mm
 Volts: 220-240V/50-60Hz
 Power: 0.23KW



Sushi Display Cooler

Model: **TSD-1200-2**
 Dimension: 1200x350x500mm
 Volts: 220-240V/50-60Hz
 Power: 0.35KW

Model: **TSD-1500**
 Dimension: 1500x350x340mm
 Volts: 220-240V/50-60Hz
 Power: 0.32KW

Model: **TSD-1500-2**
 Dimension: 1500x350x500mm
 Volts: 220-240V/50-60Hz
 Power: 0.39KW

Model: **TSD-1800**
 Dimension: 1800x350x340mm
 Volts: 220-240V/50-60Hz
 Power: 0.34KW

Model: **TSD-1800-2**
 Dimension: 1800x350x500mm
 Volts: 220-240V/50-60Hz
 Power: 0.41KW

Popcorn Machine

- Charming designs and excellent product display make these units a winner.
- Different designs and dimensions are available. Ideal for cafes, canteens, outdoor events, restaurants, etc.
- Non-Stick kettle.
- High efficiency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.

- Charming designs and excellent product display make these units a winner.
- Different designs and dimensions are available. Ideal for cafes, canteens, outdoor events, restaurants, etc.
- Non-Stick kettle.
- High efficiency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.

Popcorn Machine



Popcorn Machine

Model: **TP-6B**
Dimension: 560x420x760mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine

Model: **TP-6C**
Dimension: 560x420x760mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine

Model: **TP-6A**
Dimension: 500x370x680mm
Volts: 220-240V/50-60Hz
Power: 1.44KW

Model: **TP-16A**
Dimension: 750x550x1100mm
Volts: 220-240V/50-60Hz
Power: 2.34KW



Popcorn Machine

Model: **TP-2488**
Dimension: 505x350x680mm
Volts: 220-240V
Power: 1.2KW
N/W: 22Kg



Popcorn Machine & Warming Showcase

Model: **TW-P8**
Dimension: 900x420x740mm
Volts: 220-240V/50-60Hz
Power: 1.9KW

Model: **TW-P16**
Dimension: 1290x600x1000mm
Volts: 220-240V/50-60Hz
Power: 3.5KW



Popcorn Machine

Model: **TP-6D**
Dimension: 500x400x700mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 22Kg



Popcorn Machine

Model: **TP-800**
Dimension: 520x450x650mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine Cart

Model: **TPC-6**
Dimension: 940x500x825mm



Popcorn Machine Cart

Model: **TP-LC**
Dimension: 2070x760x2070mm
Packing Size: 2080x660x680mm

Popcorn Machine

Candy Floss Machine



Popcorn Machine with Cart

Model: **TP-800C**
Dimension: 800x470x1540mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine with Cart

Model: **TP-DC**
Dimension: 910x490x1630mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 38Kg



Popcorn Machine with Cart

Model: **TP-CC**
Dimension: 940x450x1540mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine with Cart

Model: **TP-BC**
Dimension: 940x450x1540mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Electric Candy Floss Machine

Model: **TEC-01**
Dimension: 460x460x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW



Electric Candy Floss Machine

Model: **TEC-02**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW



Plastic Cover

Model: **TC-C3/TC-C4**



Electric Candy Floss Machine

Model: **TEC-03**
Dimension: 460x460x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW



Electric Candy Floss Machine

Model: **TEC-04**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW

Our high output Candy Floss Machines are used by professional operators all over the world, very popular among stadiums, carnivals, arenas, department stores, festivals, amusement parks or other large venue. When you need to have high quantities of cotton candy in a short period of time, these workhorses are the machines to use.

Pink color and orange color are available.
Adjustable temperature control.
All Candy Floss Machines come with a dedicated sugar spoon.
Over-temperature protection device.



Electric Candy Floss Machine With Cart

Model: **TEC-03C**
Dimension: 460x700x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW

Model: **TEC-04C**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW



Gas Candy Floss Machine With Cart

Model: **TGC-03C**
Dimension: 460x700x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/Hour + 0.3KW

Model: **TGC-04C**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/Hour + 0.3KW



Gas Candy Floss Machine

Model: **TGC-03**
Dimension: 460x460x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/h+0.08KW



Gas Candy Floss Machine

Model: **TGC-04**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/h+0.08KW



Electric Candy Floss Machine

Model: **TEC-05**
Dimension: 350x350x170mm
Volts: 220-240V/50-60Hz
Power: 0.5KW



Chocolate Stove

Model: **TW-22 (2-Pan)**
Dimension: 220x530x180mm
Volts: 220-240V/50-60Hz
Power: 1KW N/W: 7Kg

Model: **TW-23 (3-Pan)**
Dimension: 230x640x180mm
Volts: 220-240V/50-60Hz
Power: 2KW N/W: 9Kg

Model: **TW-24 (4-Pan)**
Dimension: 370x480x180mm
Volts: 220-240V/50-60Hz
Power: 3KW N/W: 10Kg



Electric Bain Marie

Model: **TB-750**
Dimension: 750x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 18Kg



Electric Bain Marie

Model: **TB-4**
Dimension: 705x580x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 14.3Kg

Model: **TB-4V**
Dimension: 700x600x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 16.5Kg



Electric Bain Marie

Model: **TB-3**
Dimension: 575x450x275mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 12Kg

Model: **TB-3V**
Dimension: 580x450x240mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 10Kg



Electric Bain Marie

Model: **TB-1080**
Dimension: 1080x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 28.2Kg



Electric Bain Marie

Model: **TB-6V**
Dimension: 700x600x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 19Kg



- All stainless steel body.
- With stainless steel G/N pans.
- High efficiency heating elements.
- Variable heat control.
- Tap for easy drainage.
- Great for buffets, serving lines, restaurants,
- Outside caterers, completely portable.



Bain Marie



Table Top Bain Marie

- Model: **TB-M2**
- Dimensions: 355x600x360mm
- Volts: 220-240V/50-60Hz
- Power: 1.2KW
- N/W: 12Kg



Electric Bain Marie

- Model: **TB-2T**
- Dimension: 430x680x280mm
- Volts: 220-240V/50-60Hz
- Power: 1.6KW
- N/W: 12Kg



Electric Bain Marie

- Model: **TB-904**
- Dimension: 715x560x380mm
- Volts: 220-240V/50-60Hz
- Power: 1.6KW
- N/W: 27Kg

- Model: **TB-906**
- Dimension: 615x560x380mm
- Volts: 220-240V/50-60Hz
- Power: 1.6KW
- N/W: 25Kg



Electric Bain Marie

- Model: **TB-4TA**
- Dimension: 750x680x290mm
- Volts: 220-240V/50-60Hz
- Power: 1.6KW N/W: 26Kg

- Model: **TB-4T**
- Dimension: 750x680x290mm
- Volts: 220-240V/50-60Hz
- Power: 1.6KW N/W: 18Kg

- Model: **TB-6T**
- Dimension: 1100x680x290mm
- Volts: 220-240V/50-60Hz
- Power: 1.6KW N/W: 27Kg

Electric Bain Marie

- Model: **TBM-100**
- Dimension: 1165x370x400mm
- Volts: 220-240V/50-60Hz
- Power: 1.8KW
- Capacity: 1/2x4"x1 + 1/3x4"x4

- Model: **TBM-150**
- Dimension: 1530x370x400mm
- Volts: 220-240V/50-60Hz
- Power: 1.8KW
- Capacity: 1/2x4"x1 + 1/3x4"x6



Electric Bain Marie

- Model: **TBM-169**
- Dimension: 1710x370x400mm
- Volts: 220-240V/50-60Hz
- Power: 1.8KW
- Capacity: 1/2x4"x1 + 1/3x4"x7

- Model: **TBM-204**
- Dimension: 2070x370x400mm
- Volts: 220-240V/50-60Hz
- Power: 1.8KW
- Capacity: 1/2x4"x3 + 1/3x4"x6



Electric Bain Marie

- Model: **TBM-23**
- Dimension: 940x350x360mm
- Volts: 220-240V/50-60Hz
- Power: 1.5KW
- Capacity: 3x(1/2x100)Pan

- Model: **TBM-24**
- Dimension: 1200x350x360mm
- Volts: 220-240V/50-60Hz
- Power: 1.8KW
- Capacity: 4x(1/2x100)Pan

- Model: **TBM-25**
- Dimension: 1450x350x360mm
- Volts: 220-240V/50-60Hz
- Power: 1.8KW
- Capacity: 5x(1/2x100)Pan





Barbecue Oven

Tabletop Bain Marie

Model: **TBM-20-1**
Dimension: 1175x460x700mm
Volts: 220-240V/50-60Hz
Power: 1.3KW
Capacity: 4x(1/2x150)Pan

Model: **TBM-20-2**
Dimension: 1450x460x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 5x(1/2x150)Pan

Model: **TBM-20-3**
Dimension: 1725x460x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 6x(1/2x150)Pan



Tabletop Bain Marie

Model: **TBM-21-1**
Dimension: 1080x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 3x(1/1x150)Pan

Model: **TBM-21-2**
Dimension: 1415x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 4x(1/1x150)Pan

Model: **TBM-21-3**
Dimension: 1750x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 5x(1/1x150)Pan

Model: **TBM-21-4**
Dimension: 2085x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 6x(1/1x150)Pan



Electric Smokeless Barbecue Oven

Model: **TBO-70**
Dimension: 660x350x210mm
Volts: 220-240V/50-60Hz
Power: 3KW

Gas Smokeless Barbecue Oven

Model: **TBO-70G**
Dimension: 700x400x240mm
Power: 19410BTU/hr



Electric Smokeless Barbecue Oven

Model: **TBO-110**
Dimension: 1100x370x210mm
Volts: 220-240V/50-60Hz
Power: 6KW



Gas Smokeless Barbecue Oven

Model: **TBO-110G**
Dimension: 1170x400x240mm
Power: 25880BTU/hr



Rotisserie

- Vertical broilling function,high efficient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel,easy to clean and is in accordance with food hygiene regulations,transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate,safe and energy-saving



Rotisserie



Gas Shawarma

Model: TGS-R2
Dimensions: 480x630x790mm
Gas: LPG or Natural Gas
Power: 9KW/Hour
N/W: 27Kg

Model: TGS-R3
Dimension: 530x630x920mm
Gas: LPG or Natural Gas
Power: 9.9KW/Hour
N/W: 31Kg



Gas Shawarma

Model: TGS-R4
Dimension: 530x630x1050mm
Gas: LPG or Natural Gas
Power: 14.8KW/Hour
N/W: 34Kg



Electric/Gas Chicken Rotisserie

Model: TEJ-266
Dimension: 810x630x610mm
Volts: 220~240V/50~60Hz
Power: 4.5KW
N/W: 65Kg
4 basket for 8~12 chickens

Model: TGJ-366
Dimension: 810x630x610mm
Volts: 220~240V/50~60Hz
Gas: LPG or Natural Gas
Power: 8.2KW
N/W: 63Kg
4 basket for 8~12 chickens



Electric/Gas Chicken Rotisserie

Model: TEJ-268
Dimension: 1010x630x880mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 81Kg
4 basket for 12~16 chickens

Model: TGJ-368
Dimension: 1010x630x880mm
Volts: 220~240V/50~60Hz
Gas: LPG or Natural Gas
Power: 8.2KW
N/W: 74Kg
4 basket for 12~16 chickens



Kebab Slicer

Model: TS-100E
Size: 280x240x190mm
Blade: Dia. 100mm
Volts: 110~220V/50~60Hz
Power: 80W
Two Blade changeable



Gas Shawarma

Model: TGS-R5
Dimension: 530x630x1220mm
Gas: LPG or Natural Gas
Power: 19.7KW/Hour
N/W: 40Kg



Electric Shawarma

Model: TES-E2
Dimension: 535x610x960mm
Volts: 3N~380V
Power: 9.9KW
N/W: 31Kg



Electric/Gas Chicken Rotisserie

Model: TEJ-206
Dimension: 550x740x1600mm
Volts: 220~240V/50~60Hz
Power: 6.7KW
N/W: 106kg
12 Hangers for 12~24 chickens

Model: TGJ-306
Dimension: 550x740x1600mm
Volts: 220~240V/50~60Hz
Gas: LPG or Natural Gas
Power: 9.2KW
N/W: 91kg
12 Hangers for 12~24 chickens



Electric Chicken Rotisserie

Model: TEJ-201
Dimension: 1000x900x1060mm
Volts: 3N~380V
Power: 9.3KW
N/W: 134kg
Capacity: 30 chickens

Model: TEJ-202
Dimension: 1000x900x2020mm
Volts: 3N~380V
Power: 18.6KW
N/W: 270kg
Capacity: 60 chickens

Rotisserie

- Vertical broilling function,high efficient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel,easy to clean and is in accordance with food hygiene regulations,transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate,safe and energy-saving

Pizza Oven

**Super
Star Product**



Rotisserie (3-Rod)

Model: TGJ-3P
Dimensions: 1180x490x830mm
Volts: 220V-240V/50-60Hz
Power: 10KW/Hour + 0.2KW

Model: TEJ-3P
Dimensions: 1180x490x830mm
Volts: 380V
Power: 6KW

3 Rods for 12-15 Chickens.

Rotisserie (6-Rod)

Model: TGJ-6P
Dimensions: 1180x490x1380mm
Volts: 220V-240V/50-60Hz
Power: 20KW/Hour + 0.3KW

Model: TEJ-6P
Dimensions: 1180x490x1380mm
Volts: 380V
Power: 12.3KW

6 Rods for 24-30 Chickens.

Rotisserie (9-Rod)

Model: TGJ-9P
Dimensions: 1180x490x1880mm
Volts: 220V-240V/50-60Hz
Power: 30KW/Hour + 0.4KW

Model: TEJ-9P
Dimensions: 1180x490x1880mm
Volts: 380V
Power: 18.4KW

9 Rods for 36-45 Chickens.



Electric/Gas Pizza Oven

Model: TEP-1
Dimension: 890x790x430mm
Volts: 3N~380V
Power: 4.2KW
N/W: 48kg

Model: TGP-1
Dimension: 910x780x430mm
Volts: 220V~50Hz
Gas: LPG
Power: 6KW/Hour+0.1KW
Inner size: 600x600x150mm
N/W: 48Kg



Electric Pizza Oven

Model: TEP-2PR
Temperature: 0-350°C
Pizza Stone Size: 400x400mmx2pcs
Machine Size: 560x570x440mm
Packing Size: 610x570x480mm
Volts: 220-240V
Power: 3KW
N/W: 33Kg



Electric Pizza Oven

Model: TEP-1ST
Temperature: 0-350°C
Pizza Stone Size: 400x400mmx2pcs
Machine Size: 560x570x440mm
Packing Size: 610x570x320mm
Volts: 220-240V/50-60Hz
Power: 2KW
N/W: 24Kg



Electric/Gas Pizza Oven

Model: TEP-2
Dimension: 890x790x750mm
Volts: 3N~380V
Power: 8.4KW
N/W: 90Kg

Model: TGP-2
Dimension: 910x780x760mm
Volts: 220V~50Hz
Gas: LPG
Power: 8.4KW
Inner size: 600x600x150mm
N/W: 90Kg



Electric Pizza Oven

Model: TEP-01-1
Temperature: 0-350°C
Pizza Stone Size: 638x430mmx1pcs
Machine Size: 870x600x345mm
Volts: 220-240V/380V
Power: 4.2KW



Electric Pizza Oven

Model: TEP-2ST
Temperature: 0-350°C
Pizza Stone Size: 400x400mmx2pcs
Machine Size: 560x570x440mm
Packing Size: 610x570x480mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 33Kg

Pizza Oven

Baking Oven



Electric Conveyor Pizza Oven

- Model: **TEP-12**
Dimension: 1100x570x360mm
Volts: 220V-240V/50-60Hz
Power: 6.7KW
Work Station Dimension: 350x1000mm
N/W: 60Kg

Gas Conveyor Pizza Oven

- Model: **TGP-12**
Dimension: 1100x570x430mm
Power: 12KW/Hour + 0.1KW
Work Station Dimension: 350x1000mm
N/W: 60Kg



Electric Oven

- Model: **TEO-11**
Machine Size: 880x580x350mm
Packing Size: 930x650x420mm
Volts: 220-240V/50Hz
Power: 3.2KW
N/W: 40Kg
- Model: **TEO-13**
Machine Size: 1650x815x580mm
Packing Size: 1670x890x590mm
Volts: 220-240V/380V
Power: 8KW
N/W: 120Kg
- Model: **TEO-12**
Machine Size: 1220x815x580mm
Packing Size: 1270x890x590mm
Volts: 220-240V/50Hz
Power: 6.6KW
N/W: 83Kg

Electric Conveyor Pizza Oven

- Model: **TEP-18**
Dimension: 1560x750x360mm
Volts: 380V
Power: 10.3KW
Work Station Dimension: 500x1450mm
N/W: 96Kg

Gas Conveyor Pizza Oven

- Model: **TGP-18**
Dimension: 1560x750x430mm
15KW/Hour + 0.1KW
Work Station Dimension: 500x1450mm
N/W: 96Kg



Electric Oven

- Model: **TEO-22**
Machine Size: 880x580x770mm
Packing Size: 930x650x790mm
Volts: 220-240V/50Hz
Power: 6.4KW
N/W: 60Kg
- Model: **TEO-26**
Machine Size: 1650x815x1260mm
Packing Size: 1670x890x1290mm
Volts: 3N-380V/50Hz
Power: 16KW
N/W: 250 Kg
- Model: **TEO-24**
Machine Size: 1220x815x1260mm
Packing Size: 1270x890x1290mm
Volts: 220-240V/380V
Power: 13.2KW
N/W: 140Kg



Rack need to be order separate

Electric Conveyor Pizza Oven

- Model: **TEP-32**
Dimension: 2500x1060x450mm
Volts: 380V
Power: 25.5KW
Work Station Dimension: 850x1800mm
N/W: 140Kg

Gas Conveyor Pizza Oven

- Model: **TGP-32**
Dimension: 2200x1060x430mm
30KW/Hour + 0.2KW
Work Station Dimension: 850x1800mm
N/W: 140Kg



Electric Oven

- Model: **TEO-36**
Machine Size: 1220x815x1530mm
Packing Size: 1270x890x1550mm
Volts: 3N-380V/50Hz
Power: 19.5KW
N/W: 202Kg
- Model: **TEO-39**
Machine Size: 1650x815x1530mm
Packing Size: 1670x890x1550mm
Volts: 3N-380V/50Hz
Power: 25KW
N/W: 268Kg

Baking Oven



Gas Oven

- | | |
|--|---|
| <p>Model: TGO-11
Machine Size: 810x890x650mm
Packing Size: 850x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 48Kg</p> | <p>Model: TGO-13
Machine Size: 1760x890x650mm
Packing Size: 1800x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 150Kg</p> |
| <p>Model: TGO-12
Machine Size: 1330x890x650mm
Packing Size: 1380x950x680mm
Volts: 220-240V/50Hz
Power: 0.05 KW
N/W: 109Kg</p> | |



Electric Oven

- | | |
|--|---|
| <p>Model: TEO-12A
Machine Size: 1220x815x580mm
Packing Size: 1270x890x590mm
Volts: 220-240V/50Hz
Power: 6.6KW
N/W: 85Kg</p> | <p>Model: TEO-13A
Machine Size: 1650x815x580mm
Packing Size: 1670x890x590mm
Volts: 220-240V/380V
Power: 8KW
N/W: 122Kg</p> |
|--|---|

Gas Oven

- | | |
|--|---|
| <p>Model: TGO-24
Machine Size: 1330x890x1430mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1 KW
N/W: 196Kg
Rack need to be order separate</p> | <p>Model: TGO-26
Machine Size: 1760x890x1430mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW
N/W: 310Kg
Rack need to be order separate</p> |
|--|---|



Electric Oven

- | | |
|---|--|
| <p>Model: TEO-24A
Machine Size: 1220x815x1260mm
Packing Size: 1270x890x1290mm
Volts: 220-240V/380V
Power: 13.2KW
N/W: 144Kg
Rack need to be order separate</p> | <p>Model: TEO-26A
Machine Size: 1650x815x1260mm
Packing Size: 1670x890x1290mm
Volts: 3N-380V/50Hz
Power: 16KW
N/W: 254Kg
Rack need to be order separate</p> |
|---|--|



Gas Oven

- | | |
|---|---|
| <p>Model: TGO-36
Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 267Kg</p> | <p>Model: TGO-39
Machine Size: 1760x890x1660mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 330Kg</p> |
|---|---|



Electric Oven

- | | |
|---|---|
| <p>Model: TEO-36A
Machine Size: 1220x815x1530mm
Packing Size: 1270x890x1550mm
Volts: 3N-380V/50Hz
Power: 19.5KW
N/W: 208Kg</p> | <p>Model: TEO-39A
Machine Size: 1650x815x1530mm
Packing Size: 1670x890x1550mm
Volts: 3N-380V/50Hz
Power: 25KW
N/W: 277Kg</p> |
|---|---|

Baking Oven

Convection Oven



Gas Oven

Model: TGO-12A

Machine Size: 1330x890x650mm
Packing Size: 1380x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 111Kg

Model: TGO-13A

Machine Size: 1760x890x650mm
Packing Size: 1800x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 152Kg

Gas Oven

Model: TGO-24A

Machine Size: 1330x890x1430mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW
N/W: 200Kg
Rack need to be order separate

Model: TGO-26A

Machine Size: 1760x890x1430mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW
N/W: 314Kg
Rack need to be order separate



Gas Oven

Model: TGO-36A

Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 273Kg

Model: TGO-39A

Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 339Kg



Electric Convection Oven

Model: TEB-4F

Dimension: 595x600x580mm
Volts: 220V/50Hz
Power: 2.6KW
N/W: 39Kg



Electric Convection Oven

Model: TEO-07

Dimension: 680x650x620mm
Volts: 220V/50Hz
Power: 3.15KW
N/W: 45Kg



Electric Convection Oven

Model: TEB-8F

Dimension: 835x770x580mm
Volts: 220V/50Hz
Power: 6.4KW
N/W: 56Kg



Electric Convection Oven

Model: TEO-08

Dimension: 880x800x600mm
Volts: 220V/50Hz
Power: 6.8KW
N/W: 65Kg

Electric Prover

Model: TJ-13

Dimension: 490x690x1660mm
Volts: 220V/50Hz
Power: 2.6KW
Capacity: 13 Pans
Production: 20Kg/Hour

Model: TJ-16

Dimension: 490x690x1880mm
Volts: 220V/50Hz
Power: 2.6KW
Capacity: 16 Pans
Production: 40Kg/Hour



Electric Prover

Model: TJ-26

Dimension: 1000x690x1660mm
Volts: 220V/50Hz
Power: 2.8KW
Capacity: 26 Pans
Production: 60Kg/Hour

Model: TJ-32

Dimension: 1000x690x1880mm
Volts: 220V/50Hz
Power: 2.8KW
Capacity: 32 Pans
Production: 120Kg/Hour



Convection Oven

- Perfect for restaurants, pubs, coffee shops, etc.
- These salamanders are ideal for: toasting, defrosting of ready-made dishes, reheating food, like: fish, pizzas, croissants, sausage rolls, fried eggs, cheese sandwiches, and so on.
- All stainless steel body with adjustable layers.
- Attenuator inside, safety and improve thermal efficiency.
- Electric models and gas models are available.

Salamander



Electric Convection Oven

Model	Dimensions(mm)	Inner Size(mm)	Rack Size(mm)	Voltage	Power	Packing Size(mm)	Weight
TEA-3	930x890x670	700x500x340	465x600x337/90	220V/50Hz	4.4KW	1060x1080x780	80/90Kg
TEA-5	930x890x830	700x500x500	465x600x498/90	380V/50Hz	7.4KW	1060x1080x950	110/120Kg
TEA-8	930x890x1100	700x500x775	465x600x768/90	380V/50Hz	9.4KW	980x1080x1200	160/180Kg
TEA-12	930x890x1550	700x500x1225	465x600x1218/95	380V/50Hz	12.8KW	1060x1080x1880	220/240Kg
TEA-16	930x890x1550	700x500x1225	465x600x1218/73	380V/50Hz	16.2KW	1060x1080x1880	220/240Kg



Gas Convection Oven

Model	Dimensions(mm)	Inner Size(mm)	Rack Size(mm)	Power(V/Hz/KW)	Heat Flux	Packing Size(mm)	Weight
TGA-5	930x890x830+130	700x500x500	465x600x498/90	220/50/0.6	10KW/H	1060x1080x950	110/120Kg
TGA-8	930x890x1100+130	700x500x775	465x600x768/90	220/50/0.6	12KW/H	980x1080x1200	160/180Kg
TGA-12	930x890x1550+130	700x500x1225	465x600x1218/95	220/50/1	16KW/H	1060x1080x1880	220/240Kg
TGA-16	930x890x1550+130	700x500x1225	465x600x1218/73	220/50/1.2	20KW/H	1060x1080x1880	220/240Kg



Electric Hanging Salamander

Model: **TES-936**
 Dimension: 610x310x280mm
 Volts: 220V-240V/50-60Hz
 Power: 2KW
 N/W: 10.8kg



Gas Salamander

Model: **TGS-14**
 Dimension: 610x460x610mm
 Power: 24Tu/hr
 N/W: 31.6Kg



Electric Hanging Salamander

Model: **TES-937**
 Dimension: 790x450x490mm
 Volts: 220V-240V/50-60Hz
 Power: 4KW
 N/W: 23.6kg

Model: **TES-938**
 Dimension: 580x390x380MM
 Volts: 220V-240V/50-60Hz
 Power: 2.2KW
 N/W: 15.8Kg



Electric Lift Salamander

Model: **TES-450**
 Dimension: 450x510x530mm
 Volts: 220V-240V/50-60Hz
 Power: 2.8KW
 N/W: 36Kg

Model: **TES-600**
 Dimension: 600x520x530mm
 Volts: 220-240V
 Power: 4KW
 N/W: 45Kg



Gas Salamander

Model: **TGS-16**
 Dimension: 860x460x610mm
 Power: 42TU/hr
 N/W: 47.2Kg

Char Grill

Gas Stove



Electric Lava Rock Grill

Model: TEL-928
Dimension: 460x600x400mm
Volts: 220V/50Hz
Power: 5KW



Gas Char Grill

Model: TGL-82
Dimension: 360x770x460mm
Gas: LPG or Natural Gas
Heating: 8KW/Hour



Gas Stove

Model: TGS-1
Dimension: 445x570x590mm
Gas: LPG or Natural Gas
Heating: 24.7KW/84280BTU
N/W: 47Kg



Gas/Electric Lava Rock Grill

Model: TGL-741
Dimension: 760x650x550mm
Gas: LPG or Natural Gas
Heating: 16KW/Hour



Model: TEL-841
Dimension: 760x650x550mm
Volts: 220V/50Hz
Power: 9KW



Gas Char Grill

Model: TGL-86
Dimension: 880x770x460mm
Gas: LPG or Natural Gas
Heating: 24KW/Hour



Gas Stove

Model: TGS-2
Dimension: 305x770x375mm
Gas: LPG or Natural Gas
Heating: 15.5KW/53000BTU
N/W: 34Kg



Gas Stove

Model: TGS-4
Dimension: 610x770x375mm
Gas: LPG or Natural Gas
Heating: 25.2KW/86000BTU
N/W: 59Kg



Gas Stove

Model: TGS-6
Dimension: 915x770x375mm
Gas: LPG or Natural Gas
Heating: 46.6KW/159000BTU
N/W: 84Kg



Gas Lava Rock Grill

Model: TGL-978
Dimension: 760x590x410mm
Gas: LPG or Natural Gas
Heating: 16KW/Hour

Hot-dog Grill

Toaster



Hot Dog Grill

Model: THD-05 (5-Roller)
Dimension: 560x255x190mm
Volts: 220V/50Hz
Power: 1KW
N/W: 8kg



Model: THD-07 (7-Roller)
Dimension: 560x330x190mm
Volts: 220V/50Hz
Power: 1.4KW
N/W: 9kg



Model: THD-09 (9-Roller)
Dimension: 560x410x190mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 13kg

Model: THD-11 (11-Roller)
Dimension: 560x485x190mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 16kg



Hot Dog Steamer

Model: THD-03
Dimension: 467x300x385mm
Volts: 220V/50Hz
Power: 0.7KW
N/W: 9kg



Hot Dog Steamer

Model: THD-04
Dimension: 360x360x460mm
Volts: 220V/50Hz
Power: 0.8KW
N/W: 10kg



Hot Dog Grill & Food Warmer

Model: THD-09A
Dimension: 460x515x385mm
Volts: 220V/50Hz
Power: 1.2KW

Model: THD-11A
Dimension: 660x575x385mm
Volts: 220V/50Hz
Power: 1.55KW

Food Warmer

Model: TW-81 (1-Drawer)
Dimension: 750x580x400mm
Volts: 220-240V/50-60Hz
Power: 1KW

Model: TW-82 (2-Drawer)
Dimension: 750x580x650mm
Volts: 220-240V/50-60Hz
Power: 2KW

Model: TW-83 (3-Drawer)
Dimension: 750x580x900mm
Volts: 220-240V/50-60Hz
Power: 3KW



4-Slice Toaster

Model: TET-4
Dimension: 370x210x225mm
Volts: 220-240V/50-60Hz
Power: 3.3KW
N/W: 4Kg



6-Slice Toaster

Model: TET-6
Dimension: 460x210x225mm
Volts: 220-240V/50-60Hz
Power: 3.24KW
N/W: 5Kg



9-Slice Toaster (San Blast Finish)

Model: TT-01
Dimension: 540x400x290mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N/W: 12Kg



Electric Conveyor Toaster

Model: TET-150
Dimension: 560x320x200mm
Packing Size: 510x360x380mm
Volts: 220-240V/50-60Hz
Power: 1.3KW
N/W: 12Kg G.W: 14Kg

Model: TET-300
Dimension: 560x385x200mm
Packing Size: 510x440x380mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N/W: 13.2Kg G.W: 16Kg

Model: TET-450
Dimension: 560x460x200mm
Packing Size: 510x540x380mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 30.5Kg G.W: 33.5Kg

Crepe Maker

Waffle Baker



1-Plate Electric/Gas Crepe Maker

Model: **TCM-1**
Dimension: 450x470x230mm
Volts: 220V/50Hz
Power: 3KW
N/W: 23Kg

Model: **TCM-1G**
Dimension: 450x470x230mm
Gas: LPG
Power: 4KW/Hour
N/W: 23Kg



1-Plate Waffle Baker

Model: **TWB-1**
Dimension: 250x350x260mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 5.4Kg



2-Plate Waffle Baker

Model: **TWB-2**
Dimension: 500x350x260mm
Volts: 220-240V/50-60Hz
Power: 2KW
N/W: 10.4Kg



2-Plate Electric Crepe Maker

Model: **TCM-2**
Dimension: 860x470x230mm
Volts: 220V/50Hz
Power: 6KW
N/W: 44Kg



2-Plate Gas Crepe Maker

Model: **TCM-2G**
Dimension: 860x470x230mm
Gas: LPG
Power: 8KW/Hour
N/W: 44Kg



1-Plate Cone Baker

Model: **TCB-1**
Dimension: 282x380x230mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 6.4Kg



2-Plate Cone Baker

Model: **TCB-2**
Dimension: 570x380x230mm
Volts: 220-240V/50-60Hz
Power: 2KW
N/W: 12.4Kg



1-Plate Electric Crepe Maker

Model: **TCM-400**
Dimension: 400x400x190mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 20Kg



1-Plate Gas Crepe Maker

Model: **TCM-400G**
Dimension: 400x400x200mm
Gas: LPG
Power: 4KW/Hour
N/W: 20Kg



1-Plate Waffle Baker

Model: **TWB-1S**
Dimension: 282x380x230mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 11.6Kg



2-Plate Waffle Baker

Model: **TWB-2S**
Dimension: 570x380x230mm
Volts: 220-240V/50-60Hz
Power: 3.2KW
N/W: 20.5Kg

Snack food Equipment

Snack food Equipment



Hong Kong Egg Waffle Maker

Model:TX-6
Dimension:225x420x290mm
Packing Size:485X295X315mm
Volts:220-240V/50-60Hz
Power:1.415KW
N.W.:5.3Kg
G.W.:6.5Kg



Lolly Waffle Maker

Model:TX-2208
Dimension: 410x305x240mm
Packing Size:450x350x280mm
Volts:220-240V/50-60Hz
Power:1.75KW
N.W.:12.2Kg
G.W.:13.5Kg
Single Pie Size: 225x60x15mm
Cake Depth: 30mm



Five Corn Waffle Maker

Model:TX-229
Dimension: 390x340x245mm
Packing Size:435x410x305mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:9.5Kg
G.W.:10.5Kg
Single Pie Size: 140xØ40mm
Cake Depth:15mm



Six Corn Waffle Maker

Model:TX-111
Dimension: 390x340x245mm
Packing Size:435x410x305mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:9.5Kg
G.W.:10.5Kg
Single Pie Size: 140x*40mm
Cake Depth:15mm



Corn & Hot Dog Waffle Maker

Model:TX-216
Dimension: 390x340x245mm
Packing Size:435x410x305mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:10Kg
G.W.:11Kg
Single Pie Size: 140x*40mm
Cake Depth:15mm



5 Sticks Waffle Stick Maker

Model:TX-117
Dimension:360x330x245mm
Packing Size:360X330X245mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:9Kg
G.W.:10Kg
Single Pie Size: 140xØ40mm
Cake Depth:15mm



6 Sticks Waffle Stick Maker

Model:TX-119
Dimension:390x340x245mm
Packing Size:435X410X305mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:9.5Kg
G.W.:10.5Kg
Entire Board Size:320*185mm
Single Pie Size: 140x*40mm
Cake Depth:15mm



Lolly Waffle Maker

Model:TX-116
Dimension: 390x340x245mm
Packing Size:435x410x305mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:8Kg
G.W.:9Kg
Single Pie Size: 140x140mm



Korean Mini Taiyaki Maker

Model:TX-112
Dimension: 390x340x245mm
Packing Size:435x410x305mm
Volts:220-240V/50-60Hz
Power:1.55KW
N.W.:9.5Kg
G.W.:10.5Kg
Entire Board Size:320x185mm
Single Fish Size: 90x70mm
Fish Depth:15mm

Donut Machine

Contact Grill



Auto Doughnut Fryer

- Model: **TDF-9T** (One Shape Doughnut)
Dimension: 980x550x330mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 36Kg
- Model: **TDF-9T-3** (Three-Shape Doughnut)
Dimension: 980x550x330mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 39Kg



Donut Maker

- Model: **TDM-5**
Dimension: 385x410x320mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 10Kg



Donut Maker

- Model: **TDM-6**
Dimension: 385x410x320mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 8.5Kg



Donut Maker

- Model: **TDM-12**
Dimension: 385x410x320mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 8Kg



Electric Contact Grill

- Model: **TEG-811**
Dimension: 305x400x210mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 14Kg
- Model: **TEG-811E**
Dimension: 425x400x210mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 21Kg



Electric Contact Grill

- Model: **TEG-813**
Dimension: 580x400x210mm
Volts: 220V/50Hz
Power: 1.8+1.8KW
N/W: 26Kg
- Model: **TEG-813E**
Dimension: 845x400x210mm
Volts: 220V/50Hz
Power: 4.4KW
N/W: 37Kg



Electric Contact Grill

- Model: **TEG-811A (Down Flat)**
Dimension: 305x400x210mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 14Kg
- Model: **TEG-811EA (Down Flat)**
Dimension: 425x400x210mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 21Kg



Electric Contact Grill

- Model: **TEG-813A (Down Flat)**
Dimension: 580x400x210mm
Volts: 220V/50Hz
Power: 1.8+1.8KW
N/W: 26Kg
- Model: **TEG-813EA (Down Flat)**
Dimension: 845x400x210mm
Volts: 220V/50Hz
Power: 4.4KW
N/W: 37Kg



Single Electric Contact Grill (Full Flat)

- Model: **TEG-811B (Full Flat)**
Dimension: 410x310x210mm
Packing Size: 420x395x245mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
N.W.: 13.54kg G.W.: 14.56kg
Upper Board Size: 214x214mm
Down Board Size: 235x225mm
- Model: **TEG-811EB (Full Flat)**
Dimension: 435x410x210mm
Packing Size: 510x420x245mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N.W.: 19.4kg G.W.: 20kg
Upper Board Size: 338x235mm
Down Board Size: 345x235mm



Double Electric Contact Grill (Full Flat)

- Model: **TEG-813B (Full Flat)**
Dimension: 570x410x210mm
Packing Size: 670x420x245mm
Volts: 220-240V/50-60Hz
Power: 3.6KW
N.W.: 25.5kg G.W.: 27kg
Upper Board Size: 214x214mm
Down Board Size: 485x235mm
- Model: **TEG-813EB (Full Flat)**
Dimension: 845x400x210mm
Volts: 220-240V/50-60Hz
Power: 4.4KW
N.W.: 37kg G.W.: 39kg

Fast Food Equipment



Counter Top French Fries
Display Warmer

Model: **TCW-8**
Dimension: 800x700x650mm
Volts: 220-240V/50-60Hz
Power: 0.6KW
N/W: 30Kg



Chip Dump

Model: **TCW-620**
Dimension: 795x445x210mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 7Kg



Portable Food Warmer

Model: **TW-819**
Dimension: 335x575x465mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 8Kg



Cup Dispenser

Model: **TCW-2**
Dimension: 200x700x350mm

Model: **TCW-3**
Dimension: 200x700x500mm

Model: **TCW-4**
Dimension: 200x700x650mm



Cup Dispenser with Ice Storage

Model: **TCS-02-A**
Dimension: 1200x760x790mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 50Kg

Model: **TCS-02-B**
Dimension: 1500x760x790mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 57.3Kg



Pedestal Fries Display Warmer

Model: **TCW-833**
Dimension: 1000x700x1580mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 90Kg



Tornado Potato Cutter

Model: **TSP-01**
Dimension: 450x150x180mm
N/W: 2.5Kg

Low cost and high profile, can be used forever, hand-shaking only by 1 person, easy to operate & clean
Raw: Stainless Steel (offer one blade extra)



Wrapping Machine

Model: **TWM-430**
Dimension: 430x660x155mm
Volts: 220V/50HZ
Power: 0.75KW
N/W: 5Kg

Model: **TWM-550**
Dimension: 550x660x155mm
Volts: 220V/50HZ
Power: 0.21KW
N/W: 7Kg



Vegetable & Fruit Cutter

Model: **TC-03**
Dimension: 380x195x240mm



TF-A100/WF-A130



TF-S100/WF-S130

Hamburger Patty Press

Model: **TF-A100/A130 (Aluminum)**
Dimension: 275x230x300mm
Patty Dia.: 100 / 130mm
N/W: 5Kg / 6Kg

Model: **TF-S100/S130 (Stainless Steel)**
Dimension: 240x210x280mm / 255x270x280mm
Patty Dia.: 100 / 130mm
N/W: 6Kg / 7Kg



Hamburger Machine

Model: **THM-212**
Dimension: 406x660x290mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 28Kg



Chipper

Model: **TC-01**
Dimension: 330x140x641mm
Remark: 7x7 Holes
N/W: 4.5Kg



Chipper

Model: **TC-02**
Dimension: 430x220x330mm
N/W: 5Kg



Fishball Grill



Meat Salting Machine

Model: **TML-900**
 Dimension: 910x480x1030mm
 Volts: 220-240V/50-60Hz
 Power: 0.38KW
 N/W: 59Kg



Vacuum Meat Salting Machine

Model: **TML-809**
 Dimension: 953x660x914mm
 Volts: 220-240V/50-60Hz
 Power: 0.3KW
 N/W: 75Kg



Electric Breeding Table

Model: **TBT-1150**
 Dimension: 1200x750x1100mm
 Volts: 220V/50Hz
 Hp: 0.18KW
 N/W: 60kg



Breeding Table

Model: **TBT-1000**
 Dimension: 1000x700x800(950)mm



Electric Breeding Table

Model: **TBT-1200**
 Dimensions: 1200x750x1100mm
 Volts: 220-240V/50Hz
 Power: 0.18KW
 N/W: 60Kg



Shortening Filter Cart

Model: **TSC-20**
 Dimension: 450x330x350mm
 Volts: 220-240V/50-60Hz
 Power: 0.55KW
 N/W: 42Kg
 Oil filtering capacity: 5 Liters / min
 Pump flow: 20 Liters / min
 Discharge pressure: 0.33 Mpa



Electric 1-Head Fish Grill

Model: **TX-34**
 Dimension: 270x470x260mm
 Volts: 220V/50Hz
 Power: 2KW
 N/W: 14Kg



Gas 1-Head Fish Grill

Model: **TX-34R**
 Dimension: 270x470x260mm
 Gas: LPG
 Heating: 12053BTU/Hour
 N/W: 14Kg



Electric 2-Head Fish Grill

Model: **TX-56**
 Dimension: 470x470x260mm
 Volts: 220V/50Hz
 Power: 4KW
 N/W: 28Kg



Gas 2-Head Fish Grill

Model: **TX-56R**
 Dimension: 470x470x260mm
 Gas: LPG
 Heating: 26700BTU/Hour
 N/W: 28Kg



Electric 3-Head Fish Grill

Model: **TX-65**
 Dimension: 740x470x260mm
 Volts: 220V/50Hz
 Power: 6KW
 N/W: 42Kg



Gas 3-Head Fish Grill

Model: **TX-65R**
 Dimension: 740x470x260mm
 Gas: LPG
 Heating: 36160BTU/Hour
 N/W: 42Kg

Induction Cooker

Rice Cooker



Single Induction Cooker

Model: **TSC-2203**
Dimension: 520x360x250mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 6.5Kg



Double Induction Cooker

Model: **TSC-2205**
Dimension: 610x520x250mm
Volts: 220-240V/50-60Hz
Power: 2+2.6KW
N/W: 10Kg



1-Head Induction Oven

Model: **TP-2000**
Dimension: 350x420x100mm
Volts: 220V/50Hz
Power: 2KW
N/W: 5Kg



2-Head Induction Oven

Model: **TP-4500**
Dimension: 600x420x100mm
Volts: 220V/50Hz
Power: 2+2KW
N/W: 8Kg



TF20Y-10L-A



TF20Y-30L-A



Gas Rice Cooker

Model	Packing Size	Gas Type	Service People	Rice Volume	N.W	G.W
TF20Y-7L-A	475x475x415mm	LPG/Natural	35	3~6Kg	12Kg	14Kg
TF20Y-10L-A	510x505x422mm	Gas	50	4.5~8.5Kg	14Kg	16Kg
TF20Y-15L-A	525x520x430mm	Pipelined	80	6~11Kg	15Kg	17Kg
TF20Y-23L-A	605x600x452mm	Gas	120	8~16Kg	20Kg	23Kg
TF20Y-30L-A	645x645x465mm	Methane	200	13~21Kg	23Kg	26Kg



TRC-8L/TRC-10L



TRC-13L/TRC-15L/TRC-19L



TRC-23L/TRC-33L/TRC-38L

Electric Rice Cooke

Model	Volts	Power	Capacity	N.W	G.W
TRC-8L	220V/50Hz	1.3KW	8L	-	-
TRC-10L	220V/50Hz	1.6KW	10L	-	-
TRC-13L	220V/50Hz	2.0KW	13L	-	-
TRC-15L	220V/50Hz	2.5KW	15L	-	-
TRC-19L	220V/50Hz	2.8KW	19L	-	-
TRC-23L	220V/50Hz	3.0KW	23L	-	-
TRC-33L	220V/50Hz	3.65KW	33L	-	-
TRC-38L	220V/50Hz	4.35KW	38L	-	-

Dish Washer



1- Head Electric Plate Warmer Cart

Model: **TPW-1**
 Dimension: 450x570x900mm
 Volts: 220-240V/50-60Hz
 Power: 0.4KW



2- Head Electric Plate Warmer Cart

Model: **TPW-2**
 Dimension: 450x950x900mm
 Volts: 220-240V/50-60Hz
 Power: 0.8KW



Towel Warmer

Model: **TTW-15B-2**
 Size: 450x285x355mm
 Working type: Heating
 Door Material: ABS Plastic
 Body Material: Painting
 Power: 220V/50Hz/0.18KW
 Capacity: 18L
 Numbers of Towel: 40-50



Towel Warmer

Model: **TTW-30B-2**
 Size: 410x425x446mm
 Working type: Heating
 Door Material: ABS Plastic
 Body Material: Painting
 Power: 220V/50Hz/0.36KW
 Capacity: 32L
 Numbers of Towel: 60-80



Hook Type Dish Washer

Model: **TYT-C88**
 Dimension: 700x640x1430mm
 Volts: 380V /50Hz
 Total Power: 13KW
 Average Hourly Capacity: 60Basket/Hour
 High Temperature Tank Capacity: 7L
 Wash Tank Capacity: 30L
 High Temperature Tank Power: 9KW
 Wash Tank Power: 3KW



Channel Type Dish Washer

Model: **TC180**
 Dimension: 1500x810x1630mm
 Volts: 380V /50Hz
 Total Power: 36KW
 Average Hourly Capacity: 185Basket/Hour
 High Temperature Tank Capacity: 30L
 Wash Tank Capacity: 98L
 High Temperature Tank Power: 27KW
 Wash Tank Power: 9KW

Model: **TC250**
 Dimension: 2200x810x1630mm
 Volts: 380V /50Hz
 Total Power: 40KW
 Average Hourly Capacity: 250Basket/Hour
 High Temperature Tank Capacity: 30L
 Wash Tank Capacity: 140L
 High Temperature Tank Power: 27KW
 Wash Tank Power: 9KW

Food Mixer



T10S/T15S



T20S/T30S

Food Mixer

Model	Dimensions	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	Weight
T10S	450x366x606mm	10L	220-240V	0.72KW	5Kg	110/178/139r/min	56Kg
T15S	474x372x676mm	15L	220-240V	0.50KW	6Kg	110/178/355r/min	65Kg
T20S	520x420x760mm	20L	220-240V	1.0KW	7Kg	110/200/420r/min	82Kg
T30S	545x440x882mm	30L	220-240V	1.1KW	10Kg	80/163/310 r/min	148Kg



T25S/T40S



T50S



T60S

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Motor Power	Max.Kneading Capacity	Mixing Speed	Weight
T25S	515x440x860mm	25L	220-240V	1.0KW	8Kg	110/200/422 r/min	84Kg
T40S	620x630x1011mm	40L	220-240V	2.0KW	12Kg	80/160/310 r/min	150Kg
T50S	690x622x1200mm	50L	3N~380V	1.8KW	15Kg	74/150/288 r/min	195Kg
T60S	724x652x1300mm	60L	3N~380V	2.5KW	20Kg	74/150/288 r/min	230Kg

T
T
T
T



T10B/T15B/T20B



T30B

Food Mixer

Model	Dimensions	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	Weight
T10B	450x366x606mm	10L	220-240V	0.72KW	5Kg	110/178/390r/min	56Kg
T15B	474x372x676mm	15L	220-240V	0.75KW	6Kg	110/178/390r/min	58Kg
T20B	520x420x760mm	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
T30B	545x440x882mm	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg

T
T
T
T
T



T25F/T40F/T50F/T60F



T80F

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Motor Power	Max.Kneading Capacity	Mixing Speed	Weight
T25F	515x440x860mm	25L	220-240V	1.3KW	6Kg	110/200/420r/min	84Kg
T40F	620x630x1011mm	40L	220-240V	2.0KW	12Kg	80/160/310r/min	150Kg
T50F	690x622x1200mm	50L	3N~380V	1.8KW	15Kg	74/150/288r/min	195Kg
T60F	724x652x1300mm	60L	3N~380V	2.5KW	20Kg	74/150/288r/min	230Kg
T80F	1205x740x1620mm	80L	3N~380V	4.0KW	25Kg	75/111/147/220r/min	550Kg

Food Mixer

Spiral Mixer

Users may select mixing tools and speed according to operating styles and the following requirements.

A.Snake-shaped beater:suitable for flour mixing and food with high glutinosity.Capacity and water added is 45%-50% of the flour weighe.Select low speed mode.(See Figure a)

B.Chequer-shaped beater:suitable for mixing crushed,powdered and pasty food,such as styling.Select medium speed mode.(See Figure b)

C.Bud-shaped beater:suitable for mixing liquid food,such as cream,egg etc.Select high speed mode.(See Figure c)



T5S



T7S



T10S



T20A



T30A



T20/T30/T40/T50/T60



T80

Cake Mixer

Model	Dimensions	Power	Volts	Capacity	Dough Mixing Quantity	Egg Mixing Quantity	Max Output	Speed	Weight
T5S	380x240x375mm	0.5KW	110V/220-240V/50-60Hz	5.5L	500kg	500kg	-	0-1000r/min	13
T7S	380x240x405mm	0.5KW	110V/220-240V/50-60Hz	7.5L	500kg	500kg	-	0-1000r/min	13.3
T10S	390x260x445mm	0.5KW	110V/220-240V/50-60Hz	10.5L	500kg	500kg	-	0-1000r/min	15



T20K



T40K



Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Power	Max kneading capacity	Mixing speed	Weight
T10K	450x366x606mm	10L	220-240V	0.45KW	5Kg	110/178/390r/min	56Kg
T15K	474x372x676mm	15L	220-240V	0.50KW	6Kg	110/178/390r/min	58Kg
T20K	520x420x760mm	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
T30K	545x440x882mm	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg
T40K	620x630x1011mm	40L	3N-380V	1.5KW	12Kg	80/160/288r/min	150Kg

Spiral Mixer

Model	Dimension	Packing Size	Voltage	Power	Flour Capacity	Bowl	Mixing Speed	Bowl Speed	Weight
T20	730X390X900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	8kg	21L	112/198r/min	12/20r/min	90Kg
T20A	760X400X870mm	840x480x950mm	220/230/380V/50-60Hz	1.1KW	8kg	20L	240-128r/min	13/24r/min	-
T30	750x435x900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	12.5kg	35L	112/198r/min	12/20r/min	100Kg
T30A	800x400x920mm	880x480x1000mm	220/230/380V/50-60Hz	1.5KW	12kg	30L	240-128r/min	13/24r/min	-
T40	840X480X1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	16kg	40L	112/198r/min	12/20r/min	155Kg
T50	840X480X1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	20kg	54L	112/198r/min	12/20r/min	170Kg
T60	840X480X1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	25kg	64L	112/198r/min	12/20r/min	180Kg
T80	1000x560x1380mm	1080x850x1570mm	220/230/380V/50-60Hz	2.95KW	32kg	80L	100/200r/min	12r/min	300Kg



T80/T100




T130/T200



T260

Spiral Mixer

Model	Machine Size	Packing Size	Voltage	Power	Capacity	Bowl	Mixing Speed	Bowl Speed	Weight
T80	1000x560x1380mm	1080x850x1570mm	220/230/380V/50-60Hz	2.95KW	32Kg	80L	100/200r/min	12r/min	300Kg
T100	1080x650x1380mm	1150x730x1570mm	220/230/380V/50-60Hz	5.05KW	40Kg	100L	100/200r/min	12r/min	340Kg
T130	1160x730x1380mm	1220x810x1570mm	220/230/380V/50-60Hz	6.05KW	50Kg	130L	100/200r/min	12r/min	370Kg
T200	1380x840x1560mm	1460x920x1610mm	220/230/380V/50-60Hz	8.6KW	75Kg	200L	100/200r/min	12r/min	410Kg
T260	1380x840x1560mm	1460x920x1610mm	220/230/380V/50-60Hz	9KW	100Kg	260L	100/200r/min	12r/min	450Kg



TC-42



Meat Mincer (All SS Body)

Model	Dimensions	Power	Voltage	Productivity	Weight
TC-42	530x1020x950mm	4KW	3~380V,50Hz	650Kg/h	107Kg
TC-52	800x1350x1220mm	5.5KW	3~380V,50Hz	1300Kg/h	438Kg



TC-12



TC-22



TC-32

Meat Mincer (All SS Body)

Model	Dimensions	Power	Voltage	Productivity	Weight
TC-12	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	27Kg
TC-22	410x240x450mm	0.75KW	220V,50Hz	220Kg/h	35Kg
TC-32	530x270x500mm	1.5KW	220V,50Hz	320Kg/h	76Kg



TT-12



TT-22



TT-32

Meat Mincer (SS Body, Chroming T-branch Pipe)

Model	Dimensions	Power	Voltage	Productivity	Weight
TT-12	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	27Kg
TT-22	410x240x450mm	0.75KW	220V,50Hz	220Kg/h	35Kg
TT-32	530x270x500mm	1.5KW	220V,50Hz	320Kg/h	76Kg



Meat Mincer

Model	Dimensions	HP	Voltage	Mincer Speed	Slicer Speed	Slicer Output	Mincer Output	Shred Output	Slicer Thickness	N/W	G/W
TX128B	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	240-280Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
TX128S	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	240-280Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
TX228B	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	280-320Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
TX228S	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	280-320Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg



TG12MD/TG22MD/TG32MD
Compact Commercial Meat Grinder

CG55SH/CG22DM
Cheese Grater & Chopper

Model	Dimensions	Power	Voltage	Capacity	N/W	G/W
TG12MD	500x315x550mm	0.75HP/0.55KW	220V/50Hz	100Kg/hr	21Kg	24Kg
TG22MD	500x315x550mm	1HP/0.735KW	220V/50Hz	180Kg/hr	23.5Kg	26.5Kg
TG32MD	550x330x580mm	1.2HP/0.9KW	220V/50Hz	200Kg/hr	29Kg	31.6Kg
TG55SH	490x320x485mm	0.75HP/0.55KW	220V/50Hz	40Kg/hr	16Kg	18Kg
TG22DM	680x335x580mm	1.2HP/0.90KW	220V/50Hz	60Kg/hr	28Kg	32Kg

Meat Slicer & Vegetable Cutter



220ES-8



250ES-10



300ES-12

Meat Slicer

Model	Dimensions	Power	Voltage	Blade diameter	N/W
220ES-8	440x380x340mm	0.32KW	220V,50Hz	Ø220mm	14.3Kg
250ES-10	490x390x380mm	0.32KW	220V,50Hz	Ø250mm	15.5Kg
300ES-12	530x460x460mm	0.42KW	220V,50Hz	Ø300mm	24.3Kg



TC-55



TC-60



TC-65

Multi-Purpose Electric Vegetable Cutter

Model	Dimensions	Power	Voltage	N/W	G/W
TC-55MF	580x300x545mm	3/4HP/0.55KW	220V/50Hz	27.5Kg	30.5Kg
TC-60MS	650x315x535mm	3/4HP/0.55KW	220V/50Hz	25Kg	29Kg
TC-65MS	650x325x535mm	1HP/0.75KW	220V/50Hz	25Kg	30Kg

Sausage Filler



TV-3L/TV-5L



TV-7L



TV-10L/TV-12L/TV-15L



TF-150/260/350
Rapid Sausage Filler

Model	Dimensions	Power	Voltage	Bowl Volume	Productivity	N/W	G/W
TV-3L	550x330x305mm	/	/	3L	/	11Kg	/
TV-5L	670x330x305mm	/	/	5L	/	12Kg	/
TV-7L	820x330x305mm	/	/	7L	/	13Kg	/
TV-10L	670x450x350mm	/	/	10L	/	20Kg	/
TV-12L	730x450x350mm	/	/	12L	/	21Kg	/
TV-15L	800x450x350mm	/	/	15L	/	22Kg	/
TF-150	600x400x1240mm	0.75KW	220V/380V	15L	300Kg/h	120Kg	140Kg
TF-260	640x485x1240mm	1.1KW	220V/380V	26L	400Kg/h	160Kg	180Kg
TF-350	735x460x1240mm	1.1KW	220V/380V	35L	600Kg/h	180Kg	210Kg



TV-3L/TV-5L



TV-7L

Model	Dimensions	Packing Size	N/W	G/W
TG3L	450x210x160mm	450x320x300mm	9.5Kg	10.5Kg
TG5L	580x210x160mm	570x320x300mm	11Kg	12Kg
TG7L	710x210x160mm	700x320x300mm	12Kg	13Kg

Dough Series



Pizza Dough Sheeter

Model: TPD30 (Automatic)
Dimensions: 530x480x560mm
Power: 0.37KW
Volts: 220V/50Hz
Dough Weight: 50-500g
Pizza Diameter: 30cm
NW: 37Kg



Pizza Dough Sheeter

Model: TPD40 (Semi-Automatic)
Size: 530x530x650mm
Power: 0.37KW
Volts: 220V/50Hz
Dough Weight: 50-500g
Pizza Diameter: 40cm
NW: 39Kg



Bread Slicer

Model: TR31
Machine Size: 650x740x780mm
Volts: 220-240V/50-60Hz
Power: 0.25KW
Thickness: 31pcs, 1.2cm
37-45pcs, 0.8-1.2cm can be made too



Dough Sheeter

Model: TSP520
Dimensions: 2550x880x1180mm
Packing Size: 960x730x1650mm
Conveyor Belt Size: 500x2000mm
Power: 0.55KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2550/1180mm
Resting Position Width/Height: 750/1600mm
Roller Adjustable Gap: 1-35mm
Maximum Rolling Weight: 5Kg
NW: 190Kg

Model: TSP650
Dimensions: 2950x1100x1180mm
Packing Size: 1180x1130x1650mm
Conveyor Belt Size: 630x2400mm
Power: 0.75KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2950/1180mm
Resting Position Width/Height: 1200/1780mm
Roller Adjustable Gap: 1-35mm
Maximum Rolling Weight: 6.5Kg
NW: 225Kg



Dough Sheeter

Model: TSP520
Dimensions: 2080x880x620mm
Packing Size: 960x660x1060mm
Conveyor Belt Size: 500x2000mm
Power: 0.55KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2080/620mm
Resting Position Width/Height: 750/840mm
Roller Adjustable Gap: 1-35mm
Maximum Rolling Weight: 5Kg
NW: 125Kg

Model: TSP650
Dimensions: 2950x1100x620mm
Packing Size: 1180x1130x1060mm
Roller Adjustable Gap: 1-35mm
Conveyor Belt Size: 630x2400mm
Power: 0.75KW
Volts: 220V/380V/50Hz
Working position width/Height: 2950/620mm
Resting position width/Height: 1200/840mm
Maximum Rolling Weight: 6.5Kg
NW: 190Kg



Semi-auto Rounder & Divider

Model: TK-30
Dimensions: 650x540x2100mm
Voltage: 380V
Motor Power: 1KW
Weight: 345Kg



Fully-auto Rounder & Divider

Model: TK-30A
Dimensions: 650x730x1440mm
Voltage: 380V
Motor Power: 2KW
Weight: 440Kg

Dough Divider

Model: TD36
Dimensions: 520x420x1230mm
Voltage: 220-240V/50-60Hz
Motor Power: 0.75KW
Weight: 220Kg



Dough Moulder

Model: TG-38
Dimensions: 1300x500x1050mm
Voltage: 220V/380V
Motor Power: 0.75KW
Weight: 208Kg



Bone Saw

Model: T210
Dimensions: 525x470x850mm
Work Size: 500x380mm
Voltage: 220V/50Hz
Motor Power: 0.65KW

Model: T310
Dimensions: 590x570x1040mm
Work Size: 560x425mm
Voltage: 220V/50Hz
Motor Power: 1.1KW

Food Cut Up Machine

Potato Peeler



Food Cut Up Machine

Model: TQ-5/TQ-5A (Painting/ SS body)
Size: 530x420x540mm
Volts: 220V/50Hz
Power: 0.37KW
Productivity: 80Kg/Hour
Weight: 62Kg



Food Cut Up Machine

Model: TQ-8/TQ-8A (Painting/ SS body)
Size: 800x550x550mm
Volts: 220V/50Hz
Power: 0.75KW
Productivity: 120Kg/Hour
Weight: 90Kg



Food Cut Up Machine

Model: TS-620/QS-620A (Painting/ SS body)
Size: 775x710x940mm
Volts: 220V/50Hz
Power: 1.1KW
Capacity: 20L
Productivity: 120Kg/Hour
Weight: 126Kg



Food Cut Up Machine

Model: TS630 (SS body)
Size: 990x810x980mm
Volts: 220V/50Hz
Knife motor power: 2.2/2.8kw
Bowl motor power: 1.1kw
Capacity: 25L
Productivity: 300kg/Hour
Weight: 318kg



Food Cut Up Machine

Model: TS650 (SS body)
Size: 1200x1000x1138mm
Volts: 220V/50Hz
Knife Motor Power: 2.2/2.8KW
Bowl Motor Power: 1.1KW
Capacity: 50L
Productivity: 1000Kg/Hour
Weight: 360Kg



TP8



TP15



TP30

Potato Peeler

Model	Dimensions	Power	Voltage	Frequency	Efficiency	Capacity	N.W
TP8	460x460x785mm	0.55KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	42Kg
TP15	520x520x850mm	0.75KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	53Kg
TP30	600x580x1020mm	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	72Kg



TP8A



TP15A/30A



TP-350/500/800

Potato Peeler

Model	Dimensions	Power	Voltage	Frequency	Efficiency	Capacity	N.W
TP8A	490x470x850mm	0.55KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	48Kg
TP15A	550x520x910mm	1.1KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	60Kg
TP30A	630x590x1075mm	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	78Kg
TP-350	400x450x800mm	0.75KW	110/220/230V	50/60Hz	350Kg/h	10Kg	65Kg
TP-500	480x500x900mm	1.1KW	110/220/230V	50/60Hz	500Kg/h	15Kg	85Kg
TP-800	800x700x1050mm	2.2KW	110/220/230/380V	50/60Hz	800Kg/h	30Kg	110Kg

Ice Cream Showcase & Cake Showcase

Ice Cream Machine



TQG-1200 TQG-1500 TQG-1800
Ice Cream Show Case



TD120BL TD150BL TD180BL
Island Type Ice Cream Show Case

Model	Dimensions	Power Supply	Power	Volume	Temperature
TQG-1200	1200x1100x1300mm	220V/50Hz	1.48KW	12Pcs(1/3)	-18~-22℃
TQG-1500	1500x1100x1300mm	220V/50Hz	1.56KW	16Pcs(1/3)	-18~-22℃
TQG-1800	1800x1100x1300mm	220V/50Hz	2.60KW	20Pcs(1/3)	-18~-22℃
TD120BL	1200x900x1140mm	220V/50Hz	0.88KW	/	-15~-18℃
TD150BL	1500x900x1140mm	220V/50Hz	0.98KW	/	-15~-18℃
TD180BL	1800x900x1140mm	220V/50Hz	1.18KW	/	-15~-18℃



Ice Cream Machine

Model: **TIM-01**
Dimension: 570x740x750mm
Volts: 220-240V/50-60Hz
Power: 0.9KW
Output: 8-11Kg/Hour(13-18L)
Refrigerant: R22/R404A
N/W: 59Kg



Ice Cream Machine

Model: **TIM-03**
Machine: 570x700x840mm
Volts: 220-240V/50-60Hz
Power: 1.7KW
Output: 11-16Kg/Hour(18-25L)
Refrigerant: R22/R404A
N/W: 108Kg



Ice Cream Machine

Model: **TIM-08**
Machine: 900x780x1500mm
Packing: 630x835x1650mm
Volts: 220-240V/50-60Hz
Power: 4.2KW
Output: 60-75L/Hour
Refrigerant: R22/R404A
N/W: 190Kg



Ice Cream Machine

Model: **TIM-02**
Dimension: 700x900x1435mm
Volts: 220-240V/50-60Hz
Power: 1.7KW
Output: 11-16Kg/Hour(18-25L)
Refrigerant: R22/R404A
N/W: 135Kg



Ice Cream Machine

Model: **TIM-04**
Machine: 570x780x1400mm
Packing: 630x835x1540mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
Output: 28-38L/Hour
Refrigerant: R22/R404A
N/W: 138Kg



Ice Cream Machine

Model: **TIM-05**
Machine: 540x780x1400mm
Packing: 630x835x1540mm
Volts: 220-240V/50-60Hz
Power: 2.5KW
Output: 28-38L/Hour
Refrigerant: R22/R404A
N/W: 162Kg



TCL-400L
Cake Showcase



TCL-600L
Cake Showcase



Model	Dimensions	Power	Voltage	Temperature	Remarks
TCL-400L	640x840x1890mm	0.53KW	220V/50Hz	5~10℃	Fan Cooling
TCL-600L	920x800x1890mm	0.89KW	220V/50Hz	5~10℃	Fan Cooling



Soft Ice Cream Machine

Model: **TIM-06**
 Dimension: 733x530x828mm
 Voltage: 220V/50Hz
 Power: 2000W
 Compressor Power: 1HP
 Compressor: LG or Embraco
 Coolant: R22 or R404a
 Tank Capacity: 2x6.5L
 Stainless Steel(non Magnetic)Case+Ti/Steel
 Single System



Soft Ice Cream Machine

Model: **TIM-07**
 Dimension: 733x530x1380mm
 Voltage: 220V/50Hz
 Power: 2000W
 Compressor Power: 1HP
 Compressor: LG or Embraco
 Coolant: R22 or R404a
 Tank Capacity: 2x6.5L
 Stainless Steel(non Magnetic)Case+Ti/Steel
 Single System



Fried Ice Cream Machine

Model: **TIM-A15**
 Dimension: 535x535x700mm
 Volts: 220V/50Hz
 Power: 1.5KW
 Output: 13Kg/hour
 N/W: 38Kg



Fried Ice Cream Machine

Model: **TIM-A30**
 Dimension: 830x440x700mm
 Volts: 220V/50Hz
 Power: 1.8KW
 Output: 25Kg/hour
 N/W: 60Kg



Hard Ice Cream Machine

Model: **TIM18**
 Dimension: 900x700x1435mm
 Volts: 220-240V
 Power: 1.7KW
 Output: 28-38L
 Refrigerant: R22
 N/W: 138Kg

Model: **TIM-28**
 Dimension: 900x700x1435mm
 Volts: 380V
 Power: 3.4KW
 Output: 43-52L
 Refrigerant: R404A
 N/W: 168Kg



Soft Ice Cream Machine

Model: **TIM-25DB**
 Dimension: 715x560x1380mm
 Packing Size: 780x620x1480mm
 Volts: 220V/50Hz
 Hp: 1.8KW
 Out Put: 25L/H
 Refrigerant: R22/R404A
 Compressor: Panasonic Or Aspera



Soft Ice Cream Machine

Model: **TIM-32C**
 Dimension: 715x560x1380mm
 Packing Size: 780x620x1480mm
 Volts: 220V/50Hz
 Hp: 2.35KW
 Out Put: 28-32L/H
 Refrigerant: R22/R404A
 Compressor: Panasonic Or Aspera



Roller Ice Cream Machine

Model: **TIR-PF1R(Round Type)**
 Dimension: 65x65x88cm
 Packing Size: 70x70x93cm
 Volts: 220V/50Hz
 Power: 2.2KW
 N.W.: 48KGS
 G.W.: 53KGS



Roller Ice Cream Machine

Model: **TIR-PF1R(Square Type)**
 Dimension: 65x65x88cm
 Packing Size: 70x70x93cm
 Volts: 220V/50Hz
 Power: 2.2KW
 N.W.: 48KGS
 G.W.: 53KGS



Ice Maker



Roller Ice Cream Machine

Model: TIR-PF2R(Round Type)
 Dimension: 130x65x88cm
 Packing Size: 135x70x93cm
 Volts: 220V/50HZ
 Power: 4KW
 N.W.: 88KGS
 G.W.: 98KGS



Roller Ice Cream Machine

Model: TIR-PF2R-6C
 Dimension: 156x65x88cm
 Packing Size: 161x70x93cm
 Volts: 220V/50HZ
 Power: 4.2KW
 N.W.: 106KGS
 G.W.: 122KGS



Roller Ice Cream Machine

Model: TIR-PF1R-6C(Round Type)
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 68KGS
 G.W.: 76KGS



Roller Ice Cream Machine

Model: TIR-PF1R-6C(Square Type)
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 68KGS
 G.W.: 76KGS



Roller Ice Cream Machine

Model: TIR-PF1R-6C(With Cover)
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 73KGS
 G.W.: 84KGS



Model	TD-20A	TD-40A	TD-60A
Dimension	415x460x750mm	505x505x800mm	505x560x880mm
Ice cube size	23x23x23mm	23x23x23mm	23x23x23mm
Daily production	20Kg/24h	35Kg/24h	55Kg/24h
Ice Storage Capacity	8Kg	15Kg	55Kg
Refrigerant	R134A, Air Cooling	R134A, Air Cooling	R134A, Air Cooling
Compressor	Zanussi	Zanussi	Zanussi
Power	0.22KW 220V/50Hz	0.35KW 220V/50Hz	0.40KW 220V/50Hz

Model	TD-80A	TD-120A
Dimension	705x610x1000mm	820x610x1050mm
Ice cube size	23x23x23mm	23x23x23mm
Daily production	70Kg/24h	100Kg/24h
Ice Storage Capacity	45Kg	55Kg
Refrigerant	R134A, Air Cooling	R134A, Air Cooling
Compressor	Zanussi	Zanussi
Power	0.50KW 220V/50Hz	0.68KW 220V/50Hz



Model	TD-150	TD-250	TD-350
Dimension	790x865x1500mm	790x865x1545mm	790x865x1545mm
Daily production	150kg/24h	250kg/24h	350kg/24h
Bin capacity	145Kg	145Kg	145Kg
Power	1kw 220v/50Hz	1.5kw 220v/50Hz	1.8kw 220v/50Hz

Model	TD-500	TD-700	TD-900
Dimension	790x865x1655mm	790x865x1855mm	790x865x1855mm
Daily production	500kg/24h	700kg/24h	1200kg/24h
Bin capacity	250Kg	350Kg	265Kg
Power	3.1kw 380v/50Hz	4kw 380v/50Hz	6kw 380v/50Hz



Model:	TD-1300	TD-1800
Dimension:	1220x920x1740mm	1220x920x1840mm
Daily production:	590kg/24h	817kg/24h
Bin capacity:	300kg	300kg
Power:	2860W	3950W
Voltage:	380V/50Hz	380V/50Hz
Refrigerant:	R22	R22

Juice Dispenser



TSP50L
Juice Dispenser



TH5L
Hot Chocolate Machine



TH10L
Hot Chocolate Machine

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
TSP50L	500x500x720mm	540x540x750mm	220V/50Hz	0.38KW	50L	25Kg	28Kg
TH5L	400x320x470mm	420x360x500mm	220V/50Hz	0.44KW	5L	8Kg	10Kg
TH10L	400x320x570mm	420x360x600mm	220V/50Hz	0.44KW	10L	10Kg	12Kg



TD-81



TD-82



TD-83

Model	Dimensions	Volts	Power	Rotation Speed	Capacity	Weight
TD-81	350x260x580mm	-	-	-	8L	-
TD-82	350x540x580mm	-	-	-	2x8L	-
TD-83	350x820x580mm	-	-	-	3x8L	-



TD-121/TD-181



TD-122/TD-182



TD-123/TD-183

Model	Dimensions	Volts	Power	Capacity	N/W
TD-121	480x360x750mm	220V-240V/50Hz	0.18KW	12Lx1	24Kg
TD-181	480x360x750mm	220V-240V/50Hz	0.18KW	18Lx1	27Kg
TD-122	470x450x750mm	220V-240V/50Hz	0.28KW	12Lx2	28Kg
TD-182	510x470x750mm	220V-240V/50Hz	0.28KW	18Lx2	40Kg
TD-123	640x450x750mm	220V-240V/50Hz	0.32KW	12Lx3	36Kg
TD-183	750x470x750mm	220V-240V/50Hz	0.32KW	18Lx3	54Kg



TSP10Lx1



TSP10Lx2



TSP10Lx3



TSP10Lx4

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
TSP10Lx1	210x360x670mm	240x400x700mm	220V/50Hz	0.18KW	10L	13Kg	15Kg
TSP10Lx2	430x360x670mm	440x400x700mm	220V/50Hz	0.28KW	10Lx2	22Kg	24Kg
TSP10Lx3	430x360x670mm	490x400x700mm	220V/50Hz	0.32KW	10Lx3	27Kg	30Kg
TSP10Lx4	550x360x670mm	580x400x700mm	220V/50Hz	0.38KW	10Lx4	33Kg	36Kg

Slush Machine

Ice Crusher & Milk Shaker



TM-101



TM-102
TM-122



TM-103
TM-123

Model	Dimensions	Volts	Power	Capacity	Weight
TM-101	350x620x840mm	220V-240V/50Hz	0.3KW	10Lx1	40Kg
TM-102	470x620x840mm	220V-240V/50Hz	0.4KW	10Lx2	55kg
TM-122	470x550x870mm	220V-240V/50Hz	0.5KW	12Lx2	68Kg
TM-103	620x670x840mm	220V-240V/50Hz	0.5KW	10Lx3	74Kg
TM-123	660x550x870mm	220V-240V/50Hz	0.6KW	12Lx3	78Kg



TM-151



TM-152



TM-153

Model	Dimensions	Volts	Power	Capacity	Weight
TM-151	350x620x840mm	220V-240V/50Hz	0.3KW	15Lx1	40Kg
TM-152	470x620x840mm	220V-240V/50Hz	0.4KW	15Lx2	55Kg
TM-153	620x670x840mm	220V-240V/50Hz	0.5KW	15Lx3	74Kg



Ice Crusher(Aluminum)

Model: TCC-6S
Dimension: 425x200x305mm
Volts: 220-240V/50-60Hz
Power: 300W
Rotation Speed: 1450R/M
Capacity: 65Kg/h
N/W: 5.5kg



Ice Crusher(Plastic)

Model: TCC-6P
Dimension: 425x200x305mm
Volts: 220-240V/50-60Hz
Power: 300W
Rotation Speed: 1450R/M
Capacity: 65Kg/h
N/W: 5.5kg



Milk Shaker (1-Head)

Model: TBL-015
Dimension: 230x250x570mm
Volts: 220-240V/50-60Hz
Power: 0.3KW



Milk Shaker (2-Head)

Model: TBL-018
Dimension: 340x270x510mm
Volts: 220-240V/50-60Hz
Power: 0.6KW



Milk Shaker (1-Head)

Model: TBL-11
Dimension: 190x160x530mm
Volts: 220V/50HZ
Hp: 1.5KW



Milk Shaker (2-Head)

Model: TBL-22
Dimension: 230x230x530mm
Volts: 220V/50HZ
Hp: 1.5+1.5KW

Coffee Machine

Commercial Blender



Coffee Brewer

Model: TCM-61
Machine Size: 430x545x520mm
Packing Size: 530x645x680mm
Capacity: 6L
Volts: 220-240V
Power: 2KW
N/W: 57Kg



Coffee Brewer

Model: TCB-A
Dimension: 210x345x430mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 4.5Kg



Coffee Machine

Model: TCM-112
Machine Size: 670x545x520mm
Packing Size: 770x645x680mm
Capacity: 11L
Volts: 220-240V
Power: 3KW
N/W: 79Kg



Juicer

Model: TTZ-001
Dimension: 295x195x405mm
Packing Size: 360x240x418mm
Volts: 220V/50Hz
Power: 0.7KW
Rotating Speed: 17000-20000/min
N/W: 4Kg



TB-168
Commercial Blender



TB-767
Commercial Blender



TB-787
Commercial Blender



TB-768A
Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
TB-168	245x325x195mm	220-240V	-	-	2.3Kg	1.5L	-
TB-767	170x235x530mm	220-240V	1.6KW	23000-26000R/M	4Kg	2L	80cup/h
TB-787	195x225x565mm	220-240V	1.39KW	23000-26000R/M	4.1Kg	2L	80cup/h
TB-768A	195x225x565mm	220-240V	1.5KW	23000-26000R/M	4.3Kg	2L	80cup/h



TB-968
Commercial Blender



TB-333
Commercial Blender



TB-666
Commercial Blender



TB-999
Commercial Blender



TB-999z
Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
TB-968	195x215x490mm	220-240V	1.6KW	26000-28000R/M	5.3Kg	2.7L	90cup/h
TB-333	270x235x530mm	220-240V	1.8KW	26000-28000R/M	4.6Kg	3L	96cup/h
TB-666	580x275x515mm	220-240V	2.5KW	26000-28000R/M	5.2Kg	2.8L	120cup/h
TB-999	195x215x490mm	220-240V	1.8KW	26000-28000R/M	5.4Kg	2.7L	90cup/h
TB-999z	200x220x500mm	220-240V	1.8KW	12000-28000R/M	7.3Kg	2.7L	90cup/h

Juicer

Water Boiler



Centrifugal Juicer

Model: **1000KP**
Size: 345x32x380mm
Power: 220V/50Hz
HP: 0.37KW
Speed: 2800r/min
Output: 5Kg/min
N/W: 15Kg

Model: **2000KP**
Size: 420x360x510mm
Power: 220V/50Hz
HP: 0.55KW
Speed: 2800r/min
Output: 10Kg/Min
N/W: 28Kg



Auto Orange Juicer

Model: **2000E-1**
Size: 400x330x780mm
Power: 220V/50Hz
HP: 0.12KW
Size of Orange: 40-80mm (Diameter)
Output: 20 Oranges/Min
Yield: 40%~50%
N/W: 45Kg

Model: **2000E-2**
Size: 400x300x770mm
Power: 220V/50Hz
HP: 0.12KW
Size of Orange: 40-80mm (Diameter)
Output: 20 Oranges/Min
Yield: 40%~50%
N/W: 40Kg



TB-10/15/25/30/35/40
Double-Layer Water Boiler(Heat & Warm)



TB-20A/30A/40A/55A
Single-Layer Water Boiler(Heat)



TB-8.8B/15B/20B/30B/40B
Single-Layer Water Boiler(Heat)

Model	Dimensions	Power	Voltage	Weight
TB-10	Ø14.5x44cm	1.5KW	~220V	3.20Kg
TB-15	Ø14.5x49.5cm	2.0KW	~220V	3.50Kg
TB-25	Ø31.5x49cm	2.0KW	~220V	4.23Kg
TB-30	Ø31.5x54cm	2.0KW	~220V	4.70Kg
TB-35	Ø31.5x62cm	2.0KW	~220V	5.10Kg
TB-40	Ø31.5x67cm	2.5KW	~220V	5.60Kg
TB-20A	Ø25.5x42cm	2.0KW	~220V	2.13Kg
TB-30A	Ø30.5x45cm	2.0KW	~220V	2.75Kg
TB-40A	Ø36.5x47cm	2.5KW	~220V	3.33Kg
TB-55A	Ø41.5x54cm	2.5KW	~220V	4.43Kg
TB-8.8B	Ø22x42cm	1.5KW	~220V	2.00Kg
TB-15B	Ø27x47cm	2.0KW	~220V	2.50Kg
TB-20B	Ø27x54cm	2.0KW	~220V	3.00Kg
TB-30B	Ø32x53cm	2.0KW	~220V	3.75Kg
TB-40B	Ø32x58cm	2.5KW	~220V	4.30Kg



TB-10L
Microcomputer Water Boiler



TB-5L/20L/30L
Microcomputer Water Boiler



TB-30LA/40LA/60LA
Microcomputer Water Boiler

Model	Dimensions	Output	Power	Water Pressure	Voltage	Weight
TB-5L	190X240X420mm	22L/Hour	2.5KW	0.2-0.6MPa	220V-240V	5L
TB-10L	190x240x630mm	35L/Hour	2.5KW	0.2-0.6MPa	220V-240V	10L
TB-20L	190x280x690mm	60L/Hour	3KW	0.2-0.6MPa	220V-240V	20L
TB-30L	190x340x740mm	90L/Hour	3KW	0.2-0.6MPa	220V-240V	30L
TB-30LA	450x280x570mm	90L/Hour	3KW	0.2-0.6MPa	220V-240V	30L
TB-40LA	450x300x680mm	120L/Hour	3KW	0.2-0.6MPa	220V-240V	40L
TB-60LA	450x340x780mm	180L/Hour	6KW	0.2-0.6MPa	220V-240V	60L

Chafing Dish



Chafing Dish

Model: 33117
Dimension: 670x510x460MM



Chafing Dish

Model: 36117QT
Machine Size: 690x545x500MM
Packing Size: 700x520x390MM



Chafing Dish

Model: 301129
Machine Size: 600x350x320MM
Packing Size: 610x360x240MM



Electric Heat board



Chafing Dish

Model: 23036B
Machine Size: 475x520x470MM
Packing Size: 530x495x350MM



Chafing Dish

Model: 36036T
Machine Size: 550x550x430MM
Packing Size: 560x550x370MM



Chocolate Fountains

Model: TF-8060
Packing Size: 380x380x690mm
Layers: 4
Material: SS304
Max. Dia: 33cm
Max. Height: 60cm
Weight: 6/8KgS
Motor Power: 0.065KW (screw)
Heating Power: 0.2KW
Machine Consumption Power: 0.265KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-110°C (Manual)
Working Capacity: 2KgS
Max.Capacity: 5KgS



Chocolate Fountains

Model: TF-8086
Packing Size: 280x520x680mm
Layers: 5
Material: SS304
Max. Dia: 37cm
Max. Height: 80cm
Weight: 8/10KGS
Motor Power: 0.095KW (screw)
Heating Power: 0.215KW
Machine Consumption Power: 0.31KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-150°C (Manual)
Working Capacity: 2.5KgS
Max.Capacity: 8KgS



Stainless Steel Electric Soup Kettle

Model: 81010SP
Dimension: 10L
Volts: 220V AC 50Hz
Power: 400W



Electric Soup Kettle

Model: 83013SP
Dimension: 13L
Volts: 220V AC/50Hz
Power: 600W



Electric Soup Kettle

Model: 83010SP
Dimension: 10L
Volts: 220V AC/50Hz
Power: 400W

Packing Machine

Sink Table

Vacuum Packing Machine



TZ400/2C TZ500/2C TZ600/2C



TZ260T TZ300T TZ400T



TZ400S TZ500S TZ600S

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Sealing Width	Weight
TZ400/2C	490x445x40mm	0.75KW	220V/50Hz	400mm	10mm	0.1-0.5mm	10mm	162Kg
TZ500/2C	570x550x45mm	1.5KW	380V/50Hz	500mm	10mm	0.1-0.5mm	10mm	205Kg
TZ600/2C	670x545x45mm	2.2KW	380V/50Hz	600mm	10mm	0.1-0.5mm	10mm	252Kg

Sealing Time Range: 10-35sec / 10-35sec / 10-40sec Package Dimension: 105x107x75cm / 110x135x75cm / 115x165x80cm

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Package Dimension	Weight
TZ260T	280x380x55mm	0.75KW	220V/50Hz	260mm	10mm	0.1-0.5mm	42x50x46cm	37Kg
TZ300T	320x380x55mm	0.75KW	380V/50Hz	300mm	10mm	0.1-0.5mm	42x50x46cm	37Kg
TZ400T	440x420x75mm	0.75KW	380V/50Hz	400mm	10mm	0.1-0.5mm	55x64x60cm	75Kg
TZ400S	440x420x75mm	0.75KW	220V/50Hz	400mm	10mm	0.1-0.5mm	105x54x60cm	90Kg
TZ500S	520x520x75mm	0.85KW	380V/50Hz	500mm	10mm	0.1-0.5mm	110x65x70cm	115Kg
TZ600S	660x660x75mm	1.5KW	380V/50Hz	600mm	10mm	0.1-0.5mm	110x75x80cm	150Kg

Sealing Time Range: 10-20sec / 10-20sec / 10-20sec / 10-20sec / 15-30sec / 15-30sec



Impulse Sealer

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Heat Time	Weight
TF200	325x75x225mm	0.28KW	220V/50Hz	200mm	2mm	0.2mm	0.2-1.3seconds	2.2Kg
TF300	440x83x255mm	0.38KW	220V/50Hz	300mm	2mm	0.2mm	0.2-1.3seconds	3.3Kg
TF400	540x85x280mm	0.6KW	220V/50Hz	400mm	2mm	0.2mm	0.3-2.5seconds	4.7Kg
TF500	550x85x280mm	0.75KW	220V/50Hz	500mm	2mm	0.3mm	0.3-2.5seconds	5.9Kg



Economical Single Sink Bench

ITEM	SPEC	Bowl Size
T510	610x620x800+150mm	450x450x280mm
T660	660x670x800+150mm	500x500x280mm



Single Sink Bench

ITEM	SPEC	Bowl Size
T630R	630x670x800+150mm	450x450x280mm
T680R	680x720x800+150mm	500x500x280mm



Economical Kitchen Cabinet With Backsplash

ITEM	SPEC
TB1900	1900x800x800+150mm
TB1800	1800x800x800+150mm
TB1500	1500x800x800+150mm
TB1500A	1500x600x800+150mm
TB1100	1100x800x800+150mm



Work Table With Under Shelf

ITEM	SPEC	ITEM	SPEC
T1800	1800x800x800	T800A1	800x600x800
T1500	1500x800x800	T1500A2	1500x530x800
T1800A1	1800x600x800	T1100A2	1100x530x800
T1500A1	1500x600x800	T800A2	800x530x800
T1100A1	1100x600x800	T800A2	800x530x800
T900A1	900x600x800		



Economical Double Sink Bench

ITEM	SPEC	Bowl Size
T1100	1100x620x800+150mm	450x450x280mm
T1200	1200x670x800+150mm	500x500x280mm



Binary Wash Dish Even Things

ITEM	SPEC	Bowl Size
T1100R	1100x650x950mm	-
T1200R	1200x750x950mm	-
T1500R	1500x750x950mm	-



Work Bench With Splashback

ITEM	SPEC
T600S	600x600x850+100mm
T900S	900x600x850+100mm
T1200S	1200x600x850+100mm
T1500S	1500x600x850+100mm
T1800S	1800x600x850+100mm
T600AS	600x700x850+100mm
T900AS	900x700x850+100mm
T1200AS	1200x700x850+100mm
T1500AS	1500x700x850+100mm
T1800AS	1800x700x850+100mm



Work Table With Under Shelf

ITEM	SPEC	ITEM	SPEC
T1800-3	1800x800x800	T800A1-3	800x600x800
T1500-3	1500x800x800	T1500A2-3	1500x530x800
T1800A1-3	1800x600x800	T1100A2-3	1100x530x800
T1500A1-3	1500x600x800	T800A2-3	800x530x800
T1100A1-3	1100x600x800	T800A2-3	800x530x800
T900A1-3	900x600x800		



Economical Triple Sink Bench

ITEM	SPEC	Bowl Size
T1600	1600x620x800+150mm	450x450x280mm
T1750	1750x670x800+150mm	500x500x280mm



Triple Sink Bench

ITEM	SPEC	Bowl Size
T1930R	1930x670x800+150mm	450x450x280mm
T2080R	2080x720x800+150mm	500x500x280mm



Work Table With Under Shelf

ITEM	SPEC
T1500R	1500x800x800mm
T1500AR	1500x600x800mm



2 Tiers assembled dining cart

ITEM	SPEC
TC9502	950x500x950mm
TC8502	850x450x900mm
TC7502	750x400x835mm

Racks

GN Pans



3 Tiers assembled dining cart

ITEM	SPEC
TC9503	950x500x950mm
TC8503	850x450x900mm
TC7503	750x400x835mm



2 Tiers assembled dining cart

ITEM	SPEC
TC700	700x400x850mm
TC800	800x450x900mm
TC900A	900x500x950mm
TC800A	800x500x930mm



Assembled bar trolley

ITEM	SPEC
TT450	450x400x765mm
TT500	500x450x830mm
TT550	550x500x880mm



Bar trolley

ITEM	SPEC
TT400R	3400x715mm



Model	Dimensions(mm)	Thickness(mm)
T5401	530x325x20 1/1x20	0.6
T5402	530x325x40 1/1x40	0.6
T5403	530x325x65 1/1x65	0.6
T5404	530x325x100 1/1x100	0.7
T5405	530x325x150 1/1x150	0.7
T5406	530x325x200 1/1x200	0.7
T5501	530x325x30 Cover for 1/1	0.7
T5407	325x265x20 1/2x20	0.6
T5408	325x265x40 1/2x40	0.6
T5409	325x265x65 1/2x65	0.6
T5410	325x265x100 1/2x100	0.7
T5411	325x265x150 1/2x150	0.7
T5412	325x265x200 1/2x200	0.7
T5502	530x325x30 Cover for 1/2	0.7

Model	Dimensions(mm)	Thickness(mm)
T5413	325x176x20 1/3x20	0.6
T5414	325x176x40 1/3x40	0.6
T5415	325x176x65 1/3x65	0.6
T5416	325x176x100 1/3x100	0.7
T5417	325x176x150 1/3x150	0.7
T5444	325x176x200 1/3x200	0.7
T5503	325x176x30 Cover for 1/3	0.7
T5445	265x162x20 1/4x20	0.6
T5418	265x162x40 1/4x40	0.6
T5419	265x162x65 1/4x65	0.6
T5420	265x162x100 1/4x100	0.7
T5421	265x162x150 1/4x150	0.7
T5422	265x162x200 1/4x200	0.7
T5504	265x162x30 Cover for 1/4	0.7



S/S luggage cart

ITEM	SPEC
TLC740	740x480x870mm
TLC900	900x600x900mm



Assembled luggage cart

ITEM	SPEC	Thickness
TC900A	900x550x870mm	1.2mm
TC900B	900x550x870mm	1.5mm
TC1000A	1000x600x870mm	1.2mm
TC1000B	1000x600x870mm	1.5mm



Pole

ITEM	SPEC
T1800	1800mm
T1600	1600mm
T1370	1370mm
T800	800mm
T660	660mm



Food Storage Rack

ITEM	SPEC
T6	1500x500x1550mm
T7	1200x500x1550mm



Food Storage Rack

ITEM	SPEC
T24	1500x500x1550mm
T25	1200x500x1550mm



Tray Cart

ITEM	SPEC
112901	380x550x1000mm
112903	590x870x1000mm
113001	380x550x1735mm
113101	470x620x1735mm



Model	Dimensions(mm)	Thickness(mm)
T5423	176x162x65 1/6x65	0.6
T5424	176x162x100 1/6x100	0.7
T5425	176x162x150 1/6x150	0.7
T5426	176x162x200 1/6x200	0.7
T5505	176x162x30 Cover for 1/6	0.7
T5427	176x108x65 1/9x65	0.6
T5428	176x108x100 1/9x100	0.7
T5429	176x108x150 1/9x150	0.7
T5506	176x108x30 Cover for 1/9	0.7
T5430	325x353x20 2/3x20	0.6
T5431	325x353x40 2/3x40	0.6
T5432	325x353x65 2/3x65	0.6
T5433	325x353x100 2/3x100	0.7
T5434	325x353x150 2/3x150	0.7
T5435	325x353x200 2/3x200	0.7
T5507	325x353x30 Cover for 2/3	0.7