



# RELIABLE EQUIPMENT FOR SEAMLESS OPERATIONS

HEAVY DUTY MANUAL STACKER & HAND PALLET JACK

EQUIPMENT  
THAT MOVES  
YOUR BUSINESS  
FORWARD



**HIGH  
DURABILITY**



**HIGH  
EFFICIENCY**

It is widely used in sectors such as factories, supermarkets, warehouses, logistics, and cold storage. With easy operation, low noise, and no pollution, it meets customers' working needs. Hydraulic stackers, also known as manual and hydraulic lift trucks, are compact and economical load and unload solutions. Used in factories, workshops, warehouses, and stations.

# CONTENTS

## HAND PALLET JACK

<b>2 TON</b>	Hand Pallet Jack HMP-2T-N550/1150	<b>01</b>
<b>2 TON</b>	Hand Pallet Jack HMP-2T-P550/1150	<b>02</b>
<b>2 TON</b>	Hand Pallet Jack HMP-2T-N685/1220	<b>03</b>
<b>2 TON</b>	Hand Pallet Jack HMP-2T-P685/1220	<b>04</b>
<b>3 TON</b>	Hand Pallet Jack HMP-3T-N550/1150	<b>05</b>
<b>3 TON</b>	Hand Pallet Jack HMP-3T-P550/1150	<b>06</b>
<b>3 TON</b>	Hand Pallet Jack HMP-3T-N685/1220	<b>07</b>
<b>3 TON</b>	Hand Pallet Jack HMP-3T-P685/1220	<b>08</b>
<b>5 TON</b>	Hand Pallet Jack HMP-5T-N685/1220	<b>09</b>

## MANUAL PALLET STACKER

<b>2 TON</b>	Manual Pallet Stacker HMSA-2T-2000	<b>11</b>
--------------	------------------------------------	-----------



# H E A V Y   D U T Y

# HAND PALLET JACK

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-2T-N550/1150**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

## 2 TON

Type	HMP-2T-N550/1150
Loading Capacity	2000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1480mm
Fork Length	1150mm
Fork Overall Width	550mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1200mm
Net weight	55kg
Wheel material	Nylon



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-2T-P550/1150**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

## 2 TON

Type	HMP-2T-P550/1150
Loading Capacity	2000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1480mm
Fork Length	1150mm
Fork Overall Width	550mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1200mm
Net weight	55kg
Wheel material	PU



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-2T-N685/1220**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



1

#### Strong Springs

Long life, good elasticity, high hardness, good temperature resistance.

2

#### Rubber Handle

It can effectively reduce friction and protect hands.

3

#### One - Piece Cylinder

More solid, greatly improved security.

4

#### Pressure Foot

Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.

5

#### Anti-roll Design

Small Angle design to prevent cargo from tilting.

6

#### Standard dual wheel configuration

The operation is more labor-saving and easy.

## SPECIFICATION

## 2 TON

Type	HMP-2T-N685/1220
Loading Capacity	2000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1580mm
Fork Length	1220mm
Fork Overall Width	685mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1300mm
Net weight	60kg
Wheel material	Nylon



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-2T-P685/1220**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

**2 TON**

Type	HMP-2T-P685/1220
Loading Capacity	2000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1480mm
Fork Length	1150mm
Fork Overall Width	685mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1300mm
Net weight	60kg
Wheel material	PU



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-3T-N550/1150**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

**3 TON**

Type	HMP-3T-N550/1150
Loading Capacity	3000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1480mm
Fork Length	1150mm
Fork Overall Width	550mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1200mm
Net weight	65kg
Wheel material	Nylon





# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-3T-P550/1150**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

**3 TON**

Type	HMP-3T-P550/1150
Loading Capacity	3000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1480mm
Fork Length	1150mm
Fork Overall Width	550mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1200mm
Net weight	65kg
Wheel material	PU



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-3T-N685/1220**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

**3 TON**

Type	HMP-3T-N685/1220
Loading Capacity	3000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1580mm
Fork Length	1220mm
Fork Overall Width	685mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1300mm
Net weight	70kg
Wheel material	Nylon



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-3T-P685/1220**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

**3 TON**

Type	HMP-3T-P685/1220
Loading Capacity	3000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1580mm
Fork Length	1220mm
Fork Overall Width	685mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1300mm
Net weight	70kg
Wheel material	PU



# HEAVY DUTY HAND PALLET JACK

TYPE  
**HMP-5T-N685/1220**

This product is widely used in factories, supermarkets, warehouses, logistics, cold storage, and other different occasions for flexible work in narrow spaces and channels, easy operation, low noise, pollution-free operation, and other characteristics to a large extent to meet the different work needs of customers.



- 1 Strong Springs**  
Long life, good elasticity, high hardness, good temperature resistance.
- 2 Rubber Handle**  
It can effectively reduce friction and protect hands.
- 3 One - Piece Cylinder**  
More solid, greatly improved security.
- 4 Pressure Foot**  
Cast steel design, anti-slip and wear-resistant, pressure relief can only be lightly treaded board.
- 5 Anti-roll Design**  
Small Angle design to prevent cargo from tilting.
- 6 Standard dual wheel configuration**  
The operation is more labor-saving and easy.

## SPECIFICATION

## 5 TON

Type	HMP-5T-N685/1220
Loading Capacity	5000kg
Big Wheel	180mm
Fork Double Wheel	80*68mm
Lifting Height	200mm
Total Height	1200mm
Overall Length	1580mm
Fork Length	1220mm
Fork Overall Width	685mm
Ground Clearance, center of wheelbase	30mm
Turning Radius	1300mm
Net weight	70kg
Wheel material	Nylon



H E A V Y   D U T Y

# MANUAL PALLET STACKER

Hydraulic stacker, also known as manual lift truck and hydraulic forklift truck, is a low-cost, pollution-free, unsupported loading and unloading product with compact structure, flexible and simple operation, which is widely used in factories, workshops, warehouses, stations and other places.



# HEAVY DUTY MANUAL PALLET STACKER

TYPE  
**HMSA-2T-2000**

Hydraulic stacker, also known as manual lift truck and hydraulic forklift truck, is a low-cost, pollution-free, unsupported loading and unloading product with compact structure, flexible and simple operation, which is widely used in factories, workshops, warehouses, stations and other places.

1

#### Light Weight

The forklift is light and easy to operate.

2

#### High strength forged cargo fork

High strength steel forged fork, lengthening and thickening and adjusting fork, safe and reliable, strong and durable.

3

#### High strength plate chain

Thick forging chain, improve durability.

4

#### Castor

Wear-resistant casters operating technology, suitable for any site, new casters upgrade technology to improve work efficiency.

5

#### High Quality Oil Cylinder

High quality oil cylinder, import seal, greatly improve the sealing performance, reduce the cost.

6

#### Hydraulic Drill

Use mechatronics hydraulic drill.



## SPECIFICATION

**2 TON**

Type	HMSA-2T-2000
Load capacity	2000kg
Max.lifting height	2000mm
Lowest fork height	100mm
Fork adjustable width	200-580mm
Leg inner width	580mm
Leg overall width	730mm
Fork length	900mm
Leg ground clearance	90mm

Fork ground clearance	60mm
Lifting speed	20mm/s
Descent speed	adjustable
Turning radius	≤1380mm
Overall length	1400mm
Overall width/height	30mm/2080mm
Fork width	12mm
Material	10# channel steel
Net weight	200kg

