

- AIR TO WATER -

ATMOSPHERIC WATER GENERATOR



ATMOSPHERIC WATER GENERATOR



• AIR TO WATER • DEHUMIDIFIER • AIR PURIFIER • WATER PURIFIER







Kusatsu atmospheric water generator is a high-tech product which are using physical tech to absorb and purify water from air, then processing it into high-quality drinking water. Kusatsu AWGs use 3-layer air filtration, 4 Layer to 8 Layer water filtration exclusive patent high efficiency modified molecular sieve technology) and water molecule activation technology to remove harmful substance and make water fresh, safe and taste good. It has been used in manned spacecrafts "Shenzhou 5" to "Shenzhou 10", water quality is compliance with the World Health Organization's 6 major criteria for healthy drinking water and drinking water standards in developed countries.

AIR WATER GENERATOR

KG50

Is creating a brand new source Of drinking water and offering solution For the problems of water shortage, water pollution, and inconvenient Access to healthy and safe drinking water for all human beings.

The Atmospheric Water Generator is designed for multiple application, home, office, hotel, airport, school, ship, shopping mall, train station, cinema, hospital, library, etc.


- 
NO EXTERNAL WATER SOURCE
- 
AUTOMATIC CIRCULATING WATER
- 
AUTOMATIC HEATING
- 
ULTRAFILTRATION OF STREILIZATION
- 
SMART TOUCH
- 
MULTI USAGE




PRINCIPLE OF MAKING AIR WATER




Air




Air Filter




Water-making System



Filtration & Disinfection System (RO/UF)



Water Tank



Cold Water

Ambient Water


Hot Water




KUSATSU ATMOSPHERIC WATER GENERATOR

Aerospace grade 3-layer Air Filtration


Could efficiently remove bacteria, virus, big particulates, dust, odor etc.



High-density air filter layer



Medical grade HEPA filter




High purity activated carbon filter



Aerospace grade 4-layer Water Filtration

Could efficiently remove bacteria, virus, Heavy metals, rust, organics, pigment etc.



PP Sediment Filter

Removes sediments, rust, suspended solids, organic matter, residual chlorine and hazardous odors.

RO Membrane Filter/ UF Membrane Filter

1) Removes dissolved inorganic solids, heavy metals, nitrates, pesticides, sulfates, fluoride, bacteria, pharmaceuticals, arsenic and odors.

2) Remove E-coli and other bacteria and reduce the total number of colonies, blocking colloid, reduces turbidity.

M-Cell Filter

Using modified molecular cell filtration technology, effectively remove heavy metals, iron, manganese, ammonia and other harmful ingredients.




Carbon Filter

Removes pesticides and other organic matter, remove the hazardous odors, residual chlorine and improve taste.

UV Water Purification systems use special lamps that emit UV light of a particular wavelength that have the ability, based on their length, to disrupt the DNA of micro-organisms. These UV light waves are also referred to as the Germicidal Spectrum or Frequency.



APPLICATIONS



PRODUCT DESCRIPTION AIR WATER GENERATOR



KP50A

Model	KP50A
Capacity (30°C + 80%RH)	50L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	900W
Water Making Power	800W
Refrigerant	R410a
Water Tank Volume	19L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	48 Kg
Dimension (W*L*H)	400 x 730 x 920 mm



KP50C

Model	KP50C
Capacity (30°C + 80%RH)	50L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	2100W
Water Making Power	900W
Refrigerant	R410a
Water Tank Volume	19L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	48 Kg
Dimension (W*L*H)	400 x 730 x 920 mm

PRODUCT DESCRIPTION

AIR WATER GENERATOR



KP50AS

Model	KP50AS
Capacity (30°C + 80%RH)	50L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	900W
Water Making Power	800W
Refrigerant	R410a
Water Tank Volume	19L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	48 Kg
Dimension (W*L*H)	400 x 730 x 920 mm



KG50

Model	KG50
Capacity (30°C + 80%RH)	50L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	2200W
Water Making Power	900W
Refrigerant	R410a
Water Tank Volume	19L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	53 Kg
Dimension (W*L*H)	450 x 475 x 1350 mm

PRODUCT DESCRIPTION AIR WATER GENERATOR



KF20

Model	KF20
Capacity (30°C + 80%RH)	20L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	450W
Water Making Power	400W
Refrigerant	R134a
Water Tank Volume	9L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	21 Kg
Dimension (W*L*H)	430 x 290 x 660 mm



KF20S

Model	KF20S
Capacity (30°C + 80%RH)	20L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	1700W
Water Making Power	400W
Refrigerant	R134a
Water Tank Volume	9L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	21 Kg
Dimension (W*L*H)	430 x 290 x 660 mm

PRODUCT DESCRIPTION

AIR WATER GENERATOR



KB138

Model	KB138
Capacity (30°C + 80%RH)	100L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	2100W
Water Making Power	1250W
Refrigerant	R410a
Water Tank Volume	56L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	85 Kg
Dimension (W*L*H)	505 x 610 x 1210 mm



KC138

Model	KC138
Capacity (30°C + 80%RH)	100L/D
Operating Temperature	15°C -43°C
Operating Humidity	>25%
Total Power	3500W
Water Making Power	1250W
Refrigerant	R410a
Water Tank Volume	52L
Rated Voltage	220V / Adjustable
Frequency	50Hz / Adjustable
Net Weight	173 Kg
Dimension (W*L*H)	657 x 640 x 1720 mm

INDOTARA®

PT. INDOTARA PERSADA

Our Marketing Office and After Sales Service Center

Head Office

50/F, Menara BCA Grand Indonesia
Jl. M.H. Thamrin No.1
Jakarta Pusat 10310

021 - 5011 2229

dwt@indotara.id



Semarang Office

Wisma HSBC Lt. 6 Suite 609
Jl. Gajah Mada No.135
Semarang, Jawa Tengah 50134

024 - 40 33 88 99

smg.dwt@indotara.id



Marketing Office

Graha Kencana Building, Lt.10 Suite 10F
Jl. Raya Perjuangan No. 88,
Kebon Jeruk - Jakarta Barat 11530

021 - 5011 2229

dwt@indotara.id



Medan Office

Komp. MMTC Warehouse
Blok C-7, Jl. Pasar V, Pancing
Medan 20371

061 - 50 300 600

mdn.dwt@indotara.id



Graha Indotara

Millenium Industrial Estate
Jl. Millenium 22 Blok R3 No. 1
Cikupa, Tangerang - Banten 15720

021 - 5011 2229

dwt@indotara.id



Makassar Office

Fajar Graha Pena Lt. 5
Jl. Urip Sumoharjo No. 20,
Makassar - South Sulawesi 90234

021 - 5011 2229

mks.dwt@indotara.id



Bandung Office

Wisma HSBC Lt. 6 Suite B
Jl. Asia Afrika No. 116
Bandung, Jawa Barat 40112

021 - 5011 2229

bdg.dwt@indotara.id



Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman
Jl. Jendral Sudirman No.7 Klandasan Ilir,
Balikpapan Kota, Kalimantan Timur 76114

021 - 5011 2229

bpp.dwt@indotara.id



Surabaya Office

Bumi Mandiri Tower I Lt. 10 Suite 1008
Jl. Jend. Basuki Rachmat 129-137
Surabaya 60271

031 - 3313 3333

sby.dwt@indotara.id



Bali Office

Benoa Square Lt. 2
Jl. Bypass Ngurah Rai No. 21 A Kedonganan,
Kuta Badung - Bali Indonesia 80361

021 - 5011 2229

bali.dwt@indotara.id



Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3
Kaliwaru, Condongcatur,
Sleman, Yogyakarta 55281

021 - 5011 2229

yog.dwt@indotara.id



Singapore Office

MBFC Tower 3
17F, 12 Marina Boulevard
Singapore - 018982

021 - 5011 2229

sing.dwt@indotara.id

