

HEAVY DUTY ELECTRIC WINCH

VERKRONN Electric Winch is a powerful and versatile mechanical device designed for lifting, pulling, or towing heavy loads using an electric motor. Compact and efficient, it features a spool around which a strong cable or rope is wound, allowing it to effortlessly handle tasks such as vehicle recovery, boat loading, or material hoisting.



High Durability



Strong Power



GUARANTEED
PRODUCT



HEAVY DUTY 

ELECTRIC WINCH

QUERKRÖNN
Schwerlast Hebezeugkranen

VEW-SERIES

VERKRONN Electric Winch is a powerful and versatile mechanical device designed for lifting, pulling, or towing heavy loads using an electric motor.



High Durability



Strong Power

SPECIAL FEATURES :

- ✔ Drum Transition Structure
- ✔ Wire Rope Mixing
- ✔ Brake Mechanism
- ✔ Gear Box
- ✔ Special Motor



Product Detail

Model	VEW-1020-030	VEW-1025-030	VEW-1030-030	VEW-3030-030
Rated Capacity	200 Kg	250 Kg	300 Kg	300 Kg
Rated Speed	11 m/min	11 m/min	13 m/min	13 m/min
Lifting Height	29 m	29 m	29 m	29 m
Cable Diameter	6 mm	6 mm	7 mm	7 mm
Wire Rope	30 m	30 m	30 m	30 m
Work Level	M3	M3	M3	M3
Motor	0.6 KW	0.75 KW	1.1 KW	1.1 KW
Pole	4	4	4	4
Voltage	AC100/110/120/220/230/240V 50/60 Hz		3Ph 230/380/415/440/480V 50/60Hz	
Net Weight	35 Kg	40 Kg	46 Kg	48 Kg

HEAVY DUTY ⚡

ELECTRIC WINCH

QUERKRÖNN
Schwerlast Hebezeugkranen

VEW-SERIES

VERKRÖNN Electric Winch is a powerful and versatile mechanical device designed for lifting, pulling, or towing heavy loads using an electric motor.



High Durability



Strong Power



Product Detail

Model	VEW-3050-060	VEW-3075-060	VEW-3100-060
Rated Capacity	500 Kg	750 Kg	1000 Kg
Rated Speed	13 m/min	13 m/min	13.5 m/min
Lifting Height	58 m	58 m	58 m
Cable Diameter	9 mm	9 mm	11 mm
Wire Rope	60 m	60 m	60 m
Work Level	M3	M3	M3
Motor	1.5 KW	2.2 KW	3 KW
Pole	4	4	4
Voltage	3Ph 230/380/415/440/480V 50/60 Hz		
Net Weight	139 Kg	150 Kg	161 Kg

HEAVY DUTY ⚡

ELECTRIC WINCH


QUERKRÖNN
Schwerlast Hebezeugkranen

VEW-SERIES

VERKRONN Electric Winch is a powerful and versatile mechanical device designed for lifting, pulling, or towing heavy loads using an electric motor.

SPECIAL FEATURES :

- ✔ Drum Transition Structure
- ✔ Wire Rope Mixing
- ✔ Brake Mechanism
- ✔ Gear Box
- ✔ Special Motor



Product Detail

Model	VEW-3220-100	VEW-3320-100	VEW-3350-150
Rated Capacity	2200 Kg	3200 Kg	3500 Kg
Rated Speed	10 m/min	11 m/min	11 m/min
Lifting Height	97 m	97 m	140 m
Cable Diameter	16 mm	18 mm	18 mm
Wire Rope	100 m	100 m	143 m
Work Level	M3	M3	M3
Motor	6 KW	7.5 KW	9 KW
Pole	4	4	4
Voltage	3Ph 230/380/415/440/480V 50/60 Hz		
Net Weight	450 Kg	500 Kg	550 Kg

HEAVY DUTY 

ELECTRIC WINCH


QUERKRÖNN
Schwerlast Hebezeugkranen

VEW-SERIES

VERKRONN Electric Winch is a powerful and versatile mechanical device designed for lifting, pulling, or towing heavy loads using an electric motor.

SPECIAL FEATURES :

- ✔ Drum Transition Structure
- ✔ Wire Rope Mixing
- ✔ Brake Mechanism
- ✔ Gear Box
- ✔ Special Motor



Product Detail

Model	VEW-3500-200	VEW-31000-250
Rated Capacity	5000 Kg	10000 Kg
Rated Speed	11 m/min	11 m/min
Lifting Height	192 m	235 m
Cable Diameter	22 mm	32 mm
Wire Rope	200 m	250 m
Work Level	M3	M3
Motor	6 KW	7.5 KW
Pole	4	4
Voltage	3Ph 230/380/415/440/480V 50/60 Hz	
Net Weight	450 Kg	500 Kg

FAST BUILDING ⚡

ELECTRIC WINCH

QUERKRÖNN
Schwerlast Hebezeugkranen

VFW-SERIES


This series can be mainly used in lifting, disassemble, moving and installing points in building site, digging and workshops.



High Durability



Strong Power



Product Detail

Model	VFW-10	VFW-30	VFW-50	VFW-80	VFW-100
Rated Capacity	1000 Kg	3000 Kg	5000 Kg	8000 Kg	10000 Kg
Rated Speed	34 m/min	30 m/min	29 m/min	20 m/min	19 m/min
Cable Diameter	11 m	17 m	22 m	26 m	30 m
Wire Rope	110 m	200 m	300 m	300 m	250 m
Reduction Box Drive Ratio	31.5	31.5	40.17	40.17	23.34
Drum Diameter	190 mm	310 mm	400 mm	500 mm	550 mm
Drum Length	363 mm	580 mm	840 mm	910 mm	1020 mm
Motor Power	7.5 KW	22 KW	30 KW	37 KW	45 KW
Motor Rotating Speed	1440 r/min	715 r/min	720 r/min	960 r/min	960 r/min
Arrester	TJ2-200	TJ2-300	TJ2-300	YWZ-300	YZW-400
Net Weight	460 Kg	1000 Kg	2700 Kg	4000 Kg	5000 Kg

SLOW BUILDING ⚡

ELECTRIC WINCH

QUERKRÖNN
Schwerlast Hebezeugkranen

VSW-SERIES


This series can be mainly used in lifting, disassemble, moving and installing points in building site, digging and workshops.



High Durability



Strong Power



Product Detail

Model	VSW-10
Rated Capacity	1000 Kg
Rated Speed	22 m/min
Cable Diameter	11 m
Wire Rope	110 m
Reduction Box Drive Ratio	54.82
Drum Diameter	190 mm
Drum Length	360 mm
Motor Power	4 KW
Motor Rotating Speed	1440 r/min
Arrester	TJ2-150
Net Weight	400 Kg

FAST BUILDING 

ELECTRIC WINCH

QUERKRÖNN
Schwerlast Hebezeugkranen

VSW-SERIES

This series can be mainly used in lifting, disassemble, moving and installing points in building site, digging and workshops.



High Durability



Strong Power



Product Detail

Model	VSW-20	VSW-30	VSW-50	VSW-80	VSW-100
Rated Capacity	2000 Kg	3000 Kg	5000 Kg	8000 Kg	10000 Kg
Rated Speed	12 m/min	10 m/min	10 m/min	8 m/min	8 m/min
Cable Diameter	15.5 m	17 m	21.5 m	26 m	30 m
Wire Rope	150 m	180 m	180 m	300 m	300 m
Reduction Box Drive Ratio	23.34	31.5	23.34	34.5	40.17
Drum Diameter	280 mm	310 mm	400 mm	500 mm	550 mm
Drum Length	480 mm	510 mm	730 mm	910 mm	1020 mm
Motor Power	7.5 KW	7.5 KW	11 KW	22 KW	30 KW
Motor Rotating Speed	970 r/min	970 r/min	685 r/min	715 r/min	720 r/min
Arrester	TJ2-200	TJ2-200	TJ2-300	YWZ-300	YZW-300
Net Weight	630 Kg	680 Kg	1200 Kg	2500 Kg	3200 Kg

FAST BUILDING 

ELECTRIC WINCH

QUERKRÖNN
Schwerlast Hebezeugkränen

VSW-SERIES

This series can be mainly used in lifting, disassemble, moving and installing points in building site, digging and workshops.



High Durability



Strong Power



Product Detail

Model	VSW-120	VSW-160	VSW-200	VSW-250	VSW-300
Rated Capacity	12000 Kg	16000 Kg	20000 Kg	25000 Kg	30000 Kg
Rated Speed	8 m/min	9 m/min	9 m/min	8.5 m/min	8.5 m/min
Cable Diameter	32 m	36.5 m	39 m	42 m	48 m
Wire Rope	500 m	500 m	500 m	600 m	650 m
Reduction Box Drive Ratio	40.17	31.5	31.5	31.5	23.34
Drum Diameter	650 mm	750 mm	750 mm	850 mm	960 mm
Drum Length	1020 mm	1315 mm	1833 mm	1932 mm	1968 mm
Motor Power	37 KW	45 KW	45 KW	55 KW	75 KW
Motor Rotating Speed	725 r/min	717 r/min	965 r/min	969 r/min	969 r/min
Arrester	YWZ-300	YWZ-400	YWZ-400	YWZ-400	YZW-400
Net Weight	5500 Kg	7500 Kg	8500 Kg	9500 Kg	11000 Kg

INDOTARA®

PT. INDOTARA PERSADA

Our Marketing Office and After Sales Service Center

Head Office

50/F, Menara BCA Grand Indonesia
Jl. M.H. Thamrin No.1
Jakarta Pusat 10310

021 - 5011 2226

dhc@indotara.id



Semarang Office

Wisma HSBC Lt. 6 Suite 609
Jl. Gajah Mada No.135
Semarang, Jawa Tengah 50134

024 - 40 300 891

smg.dhc@indotara.id



Marketing Office

APL Tower 6th Floor No. 6 Central Park,
Jl. Letjen S. Parman Kav 28,
Jakarta Barat - 11440

021 - 5011 2226

dhc@indotara.id



Medan Office

Sutomo Tower Lantai 5H
Jl. Sutomo Ujung No.28,
Kota Medan, Sumatera Utara 20235

061 - 50 300 593

mdn.dhc@indotara.id



Graha Indotara

Millenium Industrial Estate
Jl. Millenium 22 Blok R3 No. 1
Cikupa, Tangerang - Banten 15720

021 - 5011 2226

dhc@indotara.id



Makassar Office

Fajar Graha Pena Lt. 5
Jl. Urip Sumoharjo No. 20,
Makassar - South Sulawesi 90234

021 - 5011 2226

mks.dhc@indotara.id



Bandung Office

Wisma HSBC Lt. 6 Suite B
Jl. Asia Afrika No. 116
Bandung, Jawa Barat 40112

021 - 5011 2226

bdg.dhc@indotara.id



Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman
Jl. Jendral Sudirman No.7 Klandasan Ilir,
Balikpapan Kota, Kalimantan Timur 76114

021 - 5011 2226

bpp.dhc@indotara.id



Surabaya Office

Japfa Indoland Center, Tower I Lt. 10/1008
Jl. Jendral Basuki Rahmat 129-137
Surabaya 60271

021 - 5011 2226

sby.dhc@indotara.id



Bali Office

Benoa Square Lt. 2
Jl. Bypass Ngurah Rai No. 21 A Kedonganan,
Kuta Badung - Bali Indonesia 80361

021 - 5011 2226

bali.dhc@indotara.id



Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3
Kaliwaru, Condongcatur,
Sleman, Yogyakarta 55281

021 - 5011 2226

yog.dhc@indotara.id



Singapore Office

Marina Bay Financial Centre Tower 3
17F, 12 Marina Boulevard
Singapore - 018982

021 - 5011 2226

sing.dhc@indotara.id

