

WASTE INCINERATOR EQUIPMENT



Easy Operation



Energy Saving



Best Performance



Low Cost



WASTE INCINERATOR



Medical Waste



Domestic Waste



Industrial Waste



Animal Carcasses



Description :

Bitler Incinerator Waste is a kind of machine which has its own intellectual property, featuring unique and advanced advantages with compact size, high combustion efficiency, automatic control, reasonable combustion technology, high non-hazardous rate etc., it is an ideal choice for hospital sewage treatment, animals, hotels, medical and industrial waste.

Main Features:

- 1) Adopting gasification incineration technology suitable for treatment of various wastes like domestic garbage, medical garbage, various kinds of paper scraps, animal carcasses, etc.
- 2) Using gasification incineration, all kinds of garbage generated everyday can be incinerated at once.
- 3) Making use gasification incineration, mixed incineration, burnout treatment and other technologies to meet the national emission standards for smoke and dust.
- 4) Adopting fully enclosed operation to avoid secondary pollution.
- 5) Compact structure, small space required.
- 6) This series of incinerators are divided into two types by the fuel, and users can choose according to their need, diesel or gas.
- 7) Ash rate less than 3%
- 8) 2nd combustion chamber gas retention time >2s



Easy Operation

PLC Control, Automatic temperature control, real-time display.



Non Hazardous

High temperature pyrolysis technology, hazardous bacteria decomposed completely.



Safe

Incineration emissions meet the national standards for various industries.



Smokeless & Odorless

Residence time of combustible gas >2s
Smokeless and Odorless effect achieved without filtration.



Energy Saving

Double-layer insulation, less heat loss, energy efficient.



Low Cost

Burner shutdown automatically at spontaneous combustion state, heat recycable.



WASTE INCINERATOR

Medical Waste



Domestic Waste



Industrial Waste



Animal Carcasses



Description :

Bitler Incinerator Waste is a kind of machine which has its own intellectual property, featuring unique and advanced advantages with compact size, high combustion efficiency, automatic control, reasonable combustion technology, high non-hazardous rate etc., it is an ideal choice for hospital sewage treatment, animals, hotels, medical and industrial waste.

Main Features:

- 1) Adopting gasification incineration technology suitable for treatment of various wastes like domestic garbage, medical garbage, various kinds of paper scraps, animal carcasses, etc.
- 2) Using gasification incineration, all kinds of garbage generated everyday can be incinerated at once.
- 3) Making use gasification incineration, mixed incineration, burnout treatment and other technologies to meet the national emission standards for smoke and dust.
- 4) Adopting fully enclosed operation to avoid secondary pollution.
- 5) Compact structure, small space required.
- 6) This series of incinerators are divided into two types by the fuel, and users can choose according to their need, diesel or gas.
- 7) Ash rate less than 3%
- 8) 2nd combustion chamber gas retention time >2s



Easy Operation

PLC Control, Automatic temperature control, real-time display.



Non Hazardous

High temperature pyrolysis technology, hazardous bacteria decomposed completely.



Safe

Incineration emissions meet the national standards for various industries.



Smokeless & Odorless

Residence time of combustible gas >2s
Smokeless and Odorless effect achieved without filtration.



Energy Saving

Double-layer insulation, less heat loss, energy efficient.



Low Cost

Burner shutdown automatically at spontaneous combustion state, heat recycable.



WASTE INCINERATOR



Medical Waste



Domestic Waste



Industrial Waste



Animal Carcasses



Description :

Bitler Incinerator Waste is a kind of machine which has its own intellectual property, featuring unique and advanced advantages with compact size, high combustion efficiency, automatic control, reasonable combustion technology, high non-hazardous rate etc., it is an ideal choice for hospital sewage treatment, animals, hotels, medical and industrial waste.

Main Features:

- 1) Adopting gasification incineration technology suitable for treatment of various wastes like domestic garbage, medical garbage, various kinds of paper scraps, animal carcasses, etc.
- 2) Using gasification incineration, all kinds of garbage generated everyday can be incinerated at once.
- 3) Making use gasification incineration, mixed incineration, burnout treatment and other technologies to meet the national emission standards for smoke and dust.
- 4) Adopting fully enclosed operation to avoid secondary pollution.
- 5) Compact structure, small space required.
- 6) This series of incinerators are divided into two types by the fuel, and users can choose according to their need, diesel or gas.
- 7) Ash rate less than 3%
- 8) 2nd combustion chamber gas retention time >2s



Easy Operation

PLC Control, Automatic temperature control, real-time display.



Non Hazardous

High temperature pyrolysis technology, hazardous bacteria decomposed completely.



Safe

Incineration emissions meet the national standards for various industries.



Smokeless & Odorless

Residence time of combustible gas >2s
Smokeless and Odorless effect achieved without filtration.



Energy Saving

Double-layer insulation, less heat loss, energy efficient.




Low Cost

Burner shutdown automatically at spontaneous combustion state, heat recyclable.



WASTE INCINERATOR



SPECIFICATION :

MODEL	BWI-20	BWI-30	BWI-50	BWI-150	BWI-300	BWI-500
ITEM						
TREATMENT CAPACITY	20-30 KG / TIME	30-50 KG / TIME	50-100 KG / TIME	150-200 KG / TIME	300-400 KG / TIME	500-600 KG / TIME
INCINERATOR DIMENSION	1.7x1.2x2.3	1.9x1.3x2.6	2.1x1.4x3.05	2.1x1.65x3.55	2.45x1.8x3.77	3.1x2.2x4.85
FEEDING DOOR SIZE	390x490	390x510	600x750	670x870	800x100	890x1220
CHIMNEY	ø 219 OUT DIAMETER	ø 273 OUT DIAMETER	ø 273 OUT DIAMETER	ø 273 OUT DIAMETER	ø 273 OUT DIAMETER	ø 425 OUT DIAMETER
AIR BOWLER	0.25KW	0.25KW	0.25KW	0.55KW	0.55KW	0.55KW
MAIN BURNER	CX-10	CX-10	CX-10	CX-10	CX-26	CX-26
OIL CONSUMPTION	6.51 KG / H	6.51 KG / H	6.51 KG / H	6.51 KG / H	14.89 KG / H	14.89 KG / H
2ND BURNER	CX-14	CX-14	CX-14	CX-14	CX-26	CX-26
OIL CONSUMPTION	9.31 KG / H	9.31 KG / H	9.31 KG / H	9.31 KG / H	14.89 KG / H	14.89 KG / H
WEIGHT	2300	2700	5000	7000	8800	18000





PT. INDOTARA PERSADA

Our Marketing Office and After Sales Service Center

Head Office

50/F, Menara BCA Grand Indonesia
Jl. M.H. Thamrin No.1
Jakarta Pusat 10310

021 - 5011 2228

dgm@indotara.id



Semarang Office

Wisma HSBC Lt. 6 Suite 609
Jl. Gajah Mada No.135
Semarang, Jawa Tengah 50134

024 - 40 300 893

smg.dgm@indotara.id



Marketing Office

APL Tower 6th Floor No. 6 Central Park,
Jl. Letjen S. Parman Kav 28,
Jakarta Barat - 11440

021 - 5011 2228

dgm@indotara.id



Medan Office

Sutomo Tower Lantai 5H
Jl. Sutomo Ujung No.28,
Kota Medan, Sumatera Utara 20235

061 - 50 300 595

mdn.dgm@indotara.id



Graha Indotara

Millenium Industrial Estate
Jl. Millenium 22 Blok R3 No. 1
Cikupa, Tangerang - Banten 15720

021 - 5011 2228

dgm@indotara.id



Makassar Office

Fajar Graha Pena Lt. 5
Jl. Urip Sumoharjo No. 20,
Makassar - South Sulawesi 90234

021 - 5011 2228

mks.dgm@indotara.id



Bandung Office

Wisma HSBC Lt. 6 Suite B
Jl. Asia Afrika No. 116
Bandung, Jawa Barat 40112

021 - 5011 2228

bdg.dgm@indotara.id



Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman
Jl. Jendral Sudirman No.7 Klandasan Ilir,
Balikpapan Kota, Kalimantan Timur 76114

021 - 5011 2228

bpp.dgm@indotara.id



Surabaya Office

Japfa Indoland Center, Tower I Lt. 10/1008
Jl. Jendral Basuki Rahmat 129-137
Surabaya 60271

031 - 3360 1491

sby.dgm@indotara.id



Bali Office

Benoa Square Lt. 2
Jl. Bypass Ngurah Rai No. 21 A Kedonganan,
Kuta Badung - Bali Indonesia 80361

021 - 5011 2228

bali.dgm@indotara.id



Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3
Kaliwaru, Condongcatur,
Sleman, Yogyakarta 55281

021 - 5011 2228

yog.dgm@indotara.id



Singapore Office

Marina Bay Financial Centre Tower 3
17F, 12 Marina Boulevard
Singapore - 018982

021 - 5011 2228

sing.dgm@indotara.id

