

HIGH POWER LED



The LED safe warning light emits a SPOT OR LINE beam on the floor to keep pedestrians away preventing foot injury or collisions from rear end swing.



ORI1334X

HIGH POWER LASER



Operating Pressure 12 - 80 V
 Red Light: 700mw
 Green Light: 300mw
 Material: aluminium die-cast housing
 Beam: Laser straight line
 Working Temperature: -45 -85°C
 Life Time: >30000 Hours



COLOR OPTION



APPLICATION



ORI1334N

HIGH POWER LED

Voltage: 10 - 80V DC
 Aluminium Housing, the suitable design for heating elimination.
 Beam: Project a slim long line on the ground for walkway.
 Working Temperature: -45 - 85°C
 Life Time:>30000 Hours
 Certificate: IP65



COLOR OPTION



APPLICATION



ORI1334P

HIGH POWER LASER

Light power: 15W
 Voltage: 9-32V
 Material: aluminium die-cast housing
 PC cover, stainless steel bracket
 Lumen: 1000LM
 Beam: super spot
 Working temperature: -45-85°C
 Life time: >50000hours
 Certificate: IP67



COLOR OPTION



APPLICATION



ORI1334Q

HIGH POWER LED

LED Power: 18w or 24w
 Aluminium die-cast housing
 Voltage: 10- 80V DC
 Beam: Line beam
 The high performance of 100% waterproof, dustproof, quakeproof.
 Certificate: IP67/CE



COLOR OPTION



APPLICATION



BEST PRODUCT

The LED safe warning light emits a SPOT OR LINE beam on the floor to keep pedestrians away preventing foot injury or collisions from rear end swing.

ORI1081E

HIGH POWER LED

LED Power: 18w or 24w
Aluminium die-cast housing
Voltage: 10-80V DC
Beam: Line beam
The high performance of 100% waterproof, dustproof, quakeproof.
Certificate: IP67/CE

COLOR OPTION



APPLICATION



ORI1081L

HIGH POWER LED

Operating Voltage: 10-80V DC
LED Power: 6W
Material: aluminium die-cast housing, PC cover, stainless steel bracket
Working environment: -40°-80°
Optional beam: line beam
Life time: >50000h
Certificate: IP68

COLOR OPTION



APPLICATION



ORI1081

HIGH POWER LED

Operating Voltage: 10-80V DC
Led power: 6W
Material: aluminium die-cast housing, PC cover, stainless steel bracket.
Working environment: -40°-80°
Optional beam: Spot beam
Life time:>50000h
Certificate: IP68/CE

COLOR OPTION



APPLICATION



ORI1081F

HIGH POWER LED

Operating Voltage: 10-80V DC
LED power: 27W
Material: aluminium die-cast housing, PC cover, stainless steel bracket.
Working environment: -40°-80°
Optional beam: Spot beam
Life time:>50000h
Certificate: IP67

COLOR OPTION



APPLICATION



ORI10810

HIGH POWER LED

9" inch spot light
Operating Voltage: 10-80V DC
LED power: 72W
Material: aluminium die-cast housing, PC cover, stainless steel bracket.
Working environment: -40°-80°
Optional beam: Spot beam
Life time: >50000h
Certificate: IP67

COLOR OPTION



APPLICATION



HEAVY DUTY



The LED safe warning light emits a SPOT OR LINE beam on the floor to keep pedestrians away preventing foot injury or collisions from rear end swing.

ORI1081M

HIGH POWER LED

Operating Voltage: 10-80V DC
 LED power: 10W or 15W or 40w
 Material: aluminium die-cast housing, PC cover, stainless steel bracket.
 Working environment: -40°-80°
 Optional beam: Arch beam
 Life time: >50000h
 Certificate: IP67



COLOR OPTION



APPLICATION



ORI1334

HIGH POWER LED

Operating Voltage: 10-80V DC
 Led power: 18W
 Material: aluminium die-cast housing, PC cover, stainless steel bracket.
 Working environment: -40°-80°
 Optional beam: Arch beam
 Life time: >50000h
 Certificate: IP67



COLOR OPTION



APPLICATION



ORI1334G

HIGH POWER LED


Operating Voltage: 10-60V DC
 Led power: 108W
 Actual current: 3A @ 24V DC
 Material: aluminium die-cast housing, PC cover, iron painting bracket
 Working environment: -40°-80°
 Optional beam: line beam
 Life time: >50000h
 Certificate: IP65



COLOR OPTION



APPLICATION



ORI1334F

REMOTE SENSOR



Remote Sensor Standard on all models.

- Quick release thumb lever
- Great for hearing impaired personnel
- Sensor Indicator Light glows blue when sensor is activated
- Alerts pedestrians when forklifts are crossing
- Unit mounts up and out of the way
- No reflectors required
- No expensive microwave sensors
- Nothing attached to your forklifts
- Low voltage wiring eliminates the need for conduit. 12V transformer plugs into an overhead outlet power source
- Super bright LED lights with 100,000 hours life