

HEAVY DUTY

MINI HOIST

**STRONG
POWER****BEST
QUALITY****HIGH
DURABILITY**

Mini Hoist Machine is a compact and versatile lifting device designed to efficiently move and elevate loads in a variety of settings. With its smaller size and enhanced portability, it is ideal for tasks that require controlled vertical movement within confined spaces. Whether for light construction projects, workshops, or even home use, etc.



HEAVY DUTY

MINI ELECTRIC HOIST

TYPE: PMH SERIES

Mini Hoist machine is a compact and versatile lifting device designed to efficiently move and elevate loads in a variety of settings. With its smaller size and enhanced portability, it is ideal for tasks that require controlled vertical movement within confined spaces.



STRONG POWER



HIGH DURABILITY



BEST QUALITY

Product Details

Specification	PMH-100/200	PMH-125/250	PMH-200/400	PMH-250/500	PMH-300/600	PMH-400/800	PMH-500/1000G	PMH-600/1200
Rated Volt (V)	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Input Power (W)	450W	450W	800W	800W	1050W	1300W	1600W	1600W
Ratec Lifting Capacity (Kg)	Single line-100kg Double line-200kg	Single line-125kg Double line-250kg	Single line-200kg Double line-400kg	Single line-250kg Double line-500kg	Single line-300kg Double line-600kg	Single line-400kg Double line-800kg	Single line-500kg Double line-1000kg	Single line-600kg Double line-1200kg
Lifting Speed (m/min)	Single line-10m/min				Double line-5m/min			
Lifting Height (m)	Single line-12m				Double line-6m			
Rope Diameter (mm)	3.0mm	3.0mm	4.0mm	4.0mm	4.5mm	5.0mm	6.0mm	6.0mm
Qty/CNT (pcs)	2	2	2	2	2	2	1	1
Measurement (cm)	36.8x30.5x25	36.8x30.5x25	39.8x33x27	39.8x33x27	39.8x33x27	41.5x33x27	55.5x24.5x35.5	55.5x24.5x35.5
G/N (Kg)	21.5kg	21.5kg	34.5kg	34.5kg	38.0kg	40.0kg	29.0kg	34.5kg

HEAVY DUTY

MINI ELECTRIC HOIST WITH WIRELESS REMOTE CONTROL

TYPE: PMH-RC SERIES

Mini Hoist machine is a compact and versatile lifting device designed to efficiently move and elevate loads in a variety of settings. With its smaller size and enhanced portability, it is ideal for tasks that require controlled vertical movement within confined spaces.



STRONG POWER



HIGH DURABILITY



BEST QUALITY

Product Details

Specification	PMH-100/200-RC	PMH-125/250-RC	PMH-200/400-RC	PMH-250/500-RC	PMH-300/600-RC	PMH-400/800-RC	PMH-500/1000G-RC	PMH-600/1200-RC
Rated Volt (V)	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Input Power (W)	450W	450W	800W	800W	1050W	1300W	1600W	1600W
Ratec Lifting Capacity (Kg)	Single line-100kg Double line-200kg	Single line-125kg Double line-250kg	Single line-200kg Double line-400kg	Single line-250kg Double line-500kg	Single line-300kg Double line-600kg	Single line-400kg Double line-800kg	Single line-500kg Double line-1000kg	Single line-600kg Double line-1200kg
Lifting Speed (m/min)	Single line-10m/min				Double line-5m/min			
Lifting Height (m)	Single line-12m				Double line-6m			
Rope Diameter (mm)	3.0mm	3.0mm	4.0mm	4.0mm	4.5mm	5.0mm	6.0mm	6.0mm
Qty/CNT (pcs)	2	2	2	2	2	2	1	1
Measurement (cm)	36.8x30.5x25	36.8x30.5x25	39.8x33x27	39.8x33x27	39.8x33x27	41.5x33x27	55.5x24.5x35.5	55.5x24.5x35.5
G/N (Kg)	21.5kg	21.5kg	34.5kg	34.5kg	38.0kg	40.0kg	29.0kg	34.5kg

HEAVY DUTY

ELECTRIC SCAFFOLD HOIST

TYPE: PSH-FS & NS SERIES

Electric Scaffold Hoist is a motorized lifting device designed to efficiently raise and lower heavy loads, materials, and equipment in construction, maintenance, and industrial settings. It features an electric motor that powers a cable or chain mechanism, allowing for controlled vertical movement.



**STRONG
POWER**



**HIGH
DURABILITY**



**BEST
QUALITY**

Product Details

Specification	PSH-FS-88/176	PSH-FS-120/240	PSH-FS-200/400	PSH-NS-200/400	PSH-NS-250/500	PSH-NS-300/600	PSH-NS-400/800
Rated Volt (V)	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Input Power (W)	1000W	1050W	1300W	1000W	1000W	1050W	1300W
Ratec Lifting Capacity (Kg)	Single line-88kg Double line-176kg	Single line-120kg Double line-240kg	Single line-180kg Double line-360kg	Single line-200kg Double line-400kg	Single line-250kg Double line-500kg	Single line-300kg Double line-600kg	Single line-400kg Double line-800kg
Lifting Speed (m/min)	Single line-22m/min Double line-11m/min	Single line-22m/min Double line-11m/min	Single line-22m/min Double line-11m/min	Single line-8m/min Double line-4m/min	Single line-8m/min Double line-4m/min	Single line-8m/min Double line-4m/min	Single line-8m/min Double line-4m/min
Lifting Height (m)	Single line-50m Double line-25m	Single line-50m Double line-25m	Single line-40m Double line-20m	Single line-38m Double line-19m	Single line-38m Double line-19m	Single line-34m Double line-17m	Single line-32m Double line-16m
Rope Diameter (mm)	3.18mm	4.0mm	4.5mm	4.0mm	4.0mm	4.5mm	5.0mm
Qty/CNT (pcs)	1	1	1	1	1	1	1
Measurement (cm)	51x41x46	51x41x46	51x41x46	51x41x46	51x41x46	51x41x46	51x41x46
G/N (Kg)	45kg	46kg	48kg	45kg	45kg	46kg	48kg

HEAVY DUTY

ELECTRIC HOIST WITH ELECTRIC TROLLEY HOIST

TYPE: PTMH SERIES

Electric Hoist with an electric trolley is a versatile lifting system used in various industries for efficiently moving heavy loads horizontally and vertically. This equipment combines two key components: an electric hoist for vertical lifting and an electric trolley for horizontal movement along a beam or track.



STRONG POWER



HIGH DURABILITY



BEST QUALITY



Product Details

Specification	PTMH-100/200	PTMH-125/250	PTMH-200/400	PTMH-250/500	PTMH-300/600	PTMH-400/800-	PTMH-500/1000	PTMH-600/1200
Rated Volt (V)	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Input Power (W)	450W	450W	800W	800W	1050W	1300W	1300W	1900W
Ratec Lifting Capacity (Kg)	Single line-100kg Double line-200kg	Single line-125kg Double line-250kg	Single line-200kg Double line-400kg	Single line-250kg Double line-500kg	Single line-300kg Double line-600kg	Single line-400kg Double line-800kg	Single line-500kg Double line-1000kg	Single line-600kg Double line-1200kg
Lifting Speed (m/min)	Single line-10m/min				Double line-5m/min			
Lifting Height (m)	Single line-20m				Double line-10m			
Rope Diameter (mm)	3.0mm	3.0mm	4.0mm	4.0mm	4.5mm	5.0mm	6.0mm	6.0mm
Qty/CNT (pcs)	1	1	1	1	1	1	1	1
Measurement (cm)	38.5x25 x28.5	38.5x25 x28.5	42.5x25 x30.5	42.5x25 x30.5	42.5x2 5x30.5	42.5x25 x30.5	51.1x26.6 x32.2	51.1x26.6 x32.2
G/N (Kg)	29.5kg	29.5kg	33.5kg	33.5kg	36.5kg	38.5kg	45.5kg	47.5kg

HEAVY DUTY

BRUSHLESS DC HOIST WITH BATTERY

TYPE: PBMH-DC100

Brushless DC hoist with a battery is an advanced lifting system that combines the benefits of brushless DC motor technology with the convenience of a battery power source. This type of hoist is designed to provide efficient and versatile lifting capabilities for various applications.



**STRONG
POWER**



**HIGH
DURABILITY**



**BEST
QUALITY**

Product Details

Specification	PBMH-DC100
Rated Volt (V)	18V
Input Power (W)	180W
Ratec Lifting Capacity (Kg)	100Kg
Lifting Speed (m/min)	4m/min
Lifting Height (m)	12m
Rope Diameter (mm)	2.5mm
Qty/CNT (pcs)	1
Measurement (cm)	34.5x28.7x31cm
G/N (Kg)	7Kg/6Kg
Equipped with With 1X2.0Ah Battery And 1Xcharger.	

HEAVY DUTY

BRUSHLESS DC HOIST WITH BATTERY

TYPE: PBMH-DC150

Brushless DC hoist with a battery is an advanced lifting system that combines the benefits of brushless DC motor technology with the convenience of a battery power source. This type of hoist is designed to provide efficient and versatile lifting capabilities for various applications.



STRONG POWER



HIGH DURABILITY



BEST QUALITY



Product Details

Specification	PBMH-DC150
Rated Volt (V)	18V
Input Power (W)	250W
Ratec Lifting Capacity (Kg)	150Kg
Lifting Speed (m/min)	4m/min
Lifting Height (m)	12m
Rope Diameter (mm)	3.0mm
Qty/CNT (pcs)	1
Measurement (cm)	34.5x28.7x31 cm
G/N (Kg)	9Kg/8Kg
Equipped with With 1X2.0Ah Battery And 1Xcharger.	

HEAVY DUTY

BRUSHLESS DC HOIST WITH BATTERY

TYPE: PBMH-DC200

Brushless DC hoist with a battery is an advanced lifting system that combines the benefits of brushless DC motor technology with the convenience of a battery power source. This type of hoist is designed to provide efficient and versatile lifting capabilities for various applications.



**STRONG
POWER**



**HIGH
DURABILITY**



**BEST
QUALITY**

Product Details

Specification	PBMH-DC200
Rated Volt (V)	18V
Input Power (W)	320W
Ratec Lifting Capacity (Kg)	200Kg
Lifting Speed (m/min)	4m/min
Lifting Height (m)	12m
Rope Diameter (mm)	3.5mm
Qty/CNT (pcs)	1
Measurement (cm)	34.5x28.7x31cm
G/N (Kg)	11Kg/10Kg
Equipped with With 1X4.0Ah Battery And 1Xcharger	

HEAVY DUTY

BRUSHLESS DC HOIST WITH BATTERY

TYPE: PBMH-DC330

Brushless DC hoist with a battery is an advanced lifting system that combines the benefits of brushless DC motor technology with the convenience of a battery power source. This type of hoist is designed to provide efficient and versatile lifting capabilities for various applications.



STRONG POWER



HIGH DURABILITY



BEST QUALITY

Product Details

Specification	PBMH-DC330
Rated Volt (V)	18V
Input Power (W)	720W
Ratec Lifting Capacity (Kg)	330Kg
Lifting Speed (m/min)	5m/min
Lifting Height (m)	12m
Rope Diameter (mm)	4.0mm
Qty/CNT (pcs)	1
Measurement (cm)	34.5x28.7x31cm
G/N (Kg)	13Kg/12g
Equipped with With 1X4.0Ah Battery And 1Xcharger.	

With Automatic Cable Arrangement Device

INDOTARA[®]

PT. INDOTARA PERSADA

Our Marketing Office and After Sales Service Center

Head Office

50/F, Menara BCA Grand Indonesia
Jl. M.H. Thamrin No.1
Jakarta Pusat 10310

021 - 5011 2226
dhc@indotara.id



Semarang Office

Wisma HSBC Lt. 6 Suite 609
Jl. Gajah Mada No.135
Semarang, Jawa Tengah 50134

024 - 40 300 891
smg.dhc@indotara.id



Marketing Office

APL Tower 6th Floor No. 6 Central Park,
Jl. Letjen S. Parman Kav 28,
Jakarta Barat - 11440

021 - 5011 2226
dhc@indotara.id



Medan Office

Sutomo Tower Lantai 5H
Jl. Sutomo Ujung No.28,
Kota Medan, Sumatera Utara 20235

061 - 50 300 593
mdn.dhc@indotara.id



Graha Indotara

Millenium Industrial Estate
Jl. Millenium 22 Blok R3 No. 1
Cikupa, Tangerang - Banten 15720

021 - 5011 2226
dhc@indotara.id



Makassar Office

Fajar Graha Pena Lt. 5
Jl. Urip Sumoharjo No. 20,
Makassar - South Sulawesi 90234

021 - 5011 2226
mks.dhc@indotara.id



Bandung Office

Wisma HSBC Lt. 6 Suite B
Jl. Asia Afrika No. 116
Bandung, Jawa Barat 40112

021 - 5011 2226
bdg.dhc@indotara.id



Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman
Jl. Jendral Sudirman No.7 Klandasan Ilir,
Balikpapan Kota, Kalimantan Timur 76114

021 - 5011 2226
bpp.dhc@indotara.id



Surabaya Office

Japfa Indoland Center, Tower I Lt. 10/1008
Jl. Jendral Basuki Rahmat 129-137
Surabaya 60271

021 - 5011 2226
sby.dhc@indotara.id



Bali Office

Benoa Square Lt. 2
Jl. Bypass Ngurah Rai No. 21 A Kedonganan,
Kuta Badung - Bali Indonesia 80361

021 - 5011 2226
bali.dhc@indotara.id



Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3
Kaliwaru, Condongcatur,
Sleman, Yogyakarta 55281

021 - 5011 2226
yog.dhc@indotara.id



Singapore Office

Marina Bay Financial Centre Tower 3
17F, 12 Marina Boulevard
Singapore - 018982

021 - 5011 2226
sing.dhc@indotara.id

